

>Index

(Total number of available pattern colors in parenthesis)

Grade 2

Pg 3- Dillon (32) Pg 3- Dorset (21) Pg 4- Impulse (27) Pg 4- Ridgecrest (12) Pg 5- Yosemite (11)

Grade 6

Pg 20- All Seasons (73)

Pg 20- Cover Cloth (24)

Pg 21- Edgeline (22)

Pg 22- Evo CV (36)

Pg 23- Fedora (25)

Pg 24- Hopsack (18)

Pg 25- Tango (10) Pg 25- Tribeca CV (20) Pg 26- Vanguard CV (18)

Pg 21- Criss Cross 2.0 (38)

Pg 22- Endurance EPU (36)

Pg 23- Honeycomb Shag (8)

Pg 24- Silvertex NEO (37)

Grade 3

- Pg 6- Chronicle (12)
- Pg 6- Connelly (14)
- Pg 7-Ego (9)
- Pg 7- Graph (13)
- Pg 8- Hathaway (19)
- Pg 8- Linette (16)
- Pg 9- Origin (42)
- Pg 9- Punch Card (14)
- Pg 10- Scatter (9)
- Pg 10- Utmost (11) Pg 11- Viceroy (19)

Grade 7

Pg 27- Beaux (14)

- Pg 27- Dexter EPU (13)
- Pg 28- Level (9)
- Pg 28- Mixology CV (12)
- Pg 29- Mixer EPU (20)
- Pg 29- Row (30)
- Pg 30- Sentiero (24)
- Pg 30- Silverweave (37)
- Pg 31- Vector (9)

Grade 4

- Pg 12- Apprentice (11) Pg 12- Box Chain (17) Pg 13- Castillo (16) Pg 13- Cross Check (20) Pg 14- Foundation 10 (37) Pg 14- Golly (22) Pg 15- Lara (58) Pg 15- Quattro (18) Pg 16- Staple (29)
- Pg 16- Vibe (23)

Pg 19- Moby (12) Pg 19- Rumba (8)

Grade 5

Pg 17- Delano (23)

Pg 17- Haute (11)

Pg 18- Lattice (10)

Pg 18- Midway (5)

- Pg 35- Cycle (11)
- Pg 36- Fiberdrill (15)
- Pg 36- Glimpse (8)
- Pg 37- Scout (14)
- Pg 37- Silica (58)
- Pg 38- Upgrade (8)

Grade 10

Pg 39- Centric (12) Pg 39- Haven (25) Pg 40- Meteor (9) Pg 40- Pebble Trail (8) Pg 41- Tradewinds CV (8)



Look for this symbol for upholsteries best suited for healthcare applications.



Grade 8

- Pg 34- Roadmap (8)
- Pg 32- Caspian (14)
- Pg 32- Curator (10)
- Pg 33- Fidget (8)
- Pg 33- Riverstone (9)



To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.





content: finish: repeat: durability: seam strength: flame retardance: cleaning: 100% Polyurethane Antimicrobial - Silver Ion Technology Non-Matching 200,000 Double Rubs 92 lbs. Warp / 77 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 **W** (Bleach Cleanable 5:1)

CULP CONTRACT

Dorset

flame retardance:

cleaning:

W

Additional Colors / Order Samples: <u>culpcontract.com</u>

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1











finish: repeat: durability: flame retardance: cleaning:

100,000 Double Rubs UFAC / NFPA 260 Class 1, CAL 117-2013 W (Bleach Cleanable 9:1)



Ridgecrest

Additional Colors / Order Samples: culpcontract.com





To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



Yosemite Additional Colors / Order Samples: culpcontract.com Image: Penny I

content:

finish: repeat: durability: seam strength: flame retardance: cleaning: 100% Polyurethane with 70% Polyester, 30% Cotton Backing Antimicrobial Non-Matching 100,000 Double Rubs 61 lbs. Warp / 68 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 **W** (Bleach Cleanable 5:1) CULP CONTRACT <u>contract@culp.com</u> 336.888.6274

FURNITURE

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Chronicle

Additional Colors / Order Samples: culpcontract.com





content: finish: repeat: durability: seam strength: flame retardance: cleaning:

100% Polyester i-Clean™ Stain & Moisture Repellent Non-Matching 95,000 Double Rubs 100 lbs. Warp / 95 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W



Connelly

Additional Colors / Order Samples: culpcontract.com



Parrot

Wren



Dove

Owl

Crow

content: repeat: durability: seam slippage: flame retardance: cleaning:

100% Polyester Non-Matching 95,000 Double Rubs 45 lbs. Warp / 38 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W

CULP CONTRACT

contract@culp.com 336.888.6274















cleaning:

To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.





Additional Colors / Order Samples: culpcontract.com



Linette HC Additional Colors / Order Samples: <u>culpcontract.com</u>

W (Bleach Cleanable 5:1)

Platinum	Frost	Glaze	Glacier	Moss
Ash	Stone	Toffee	Waterscape	Mustard
Black	Steel	Cola	Denim	Flame
content:	100% Vinyl			NITDACT
finish:	i-Clean™ Anti-Microbial			ONTRACT
repeat:	Non-Matching		<u>contract@culp.cor</u>	n 336.888.6274
durability:	100,000 Double Rubs	ç,		- 1
seam strength:	67 lbs. Warp / 69 lbs. Wef			
flame retardance: cleaning:	UFAC / NFPA 260 Class 1 W (Bleach Cleanable 5:1)	, CAL 117-2013 Section 1		




To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.





Punch Card Additional Colors / Order Samples: culpcontract.com



Quartz

Blue Jay

W

content: repeat: durability: seam slippage: flame retardance: cleaning:

61% Polyester, 39% Repreve® Recycled Polyester 7.5" H, 11" V 40,000 Double Rubs 40 lbs. Warp, 55 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

Halo

CULP CONTRACT contract@culp.com 336.888.6274

Dark Taupe



Shale



Baltic





Noir



Spruce

Caspian





MOMENTUM

TEXTILES & WALLCOVERING

Garnet

content:

repeat: durability: seam slippage: flame retardance: cleaning:

Fossil Pewter 78% Polyester, 22% Post Consumer Recycled Polyester Non-Matching customerservice@momtex.com | 800.366.6839 90,000 Double Rubs 57.0 lbs. Warp / 50.8 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 ws Reduced Environmental Impact; Recycled Fiber Content, GREENGUARD Certified®, NSF 336 Compliant

Utmost

Order Samples: culpcontract.com



contract@culp.com 336.888.6274



content: repeat: durability: seam slippage: flame retardance: cleaning:

95,000 Double Rubs 53 lbs. Warp / 56 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 w

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Viceroy HC Additional Colors / Order Samples: <u>culpcontract.com</u>









Winter

Peacock



Mushroom





Spruce

Bravado

content:

finish: repeat: durability: seam slippage: flame retardance: cleaning:

100% Polyurethane (Polycarbonate) **Polyester Backing** Antimicrobial Non-Matching 200,000 Double Rubs 42 lbs. Warp / 71 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W S

CULP CONTRACT contract@culp.com 336.888.6274


> PARAG FURNITURE



To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Apprentice Additional Colors / Order Samples: cfstinson.com





GREENGUARD Certified®



content:

finish:

repeat:

cleaning:


To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



ARAG

FURNITURE





content: finish: repeat: durability: seam slippage: flame retardance: cleaning:

 100% Polyester
 Stain Repellent

 Non-Matching
 customerservice@mayerfabrics.com

 258,000 Double Rubs
 800.428.4415

 55 lbs. Warp / 59 lbs. Weft
 UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

 S
 S

GREENGUARD Certified®

flame retardance:

cleaning:

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Foundation 10

Additional Colors / Order Samples: mayerfabrics.com



Golly (HC) Additional Colors / Order Samples: culpcontract.com

GREENGUARD Certified®

WS

	Brass	Armagnac	Red	Paprika
	Tidepool	Turquoise	Waterloo	Rosemary
Bisque	Silver	Porcini	Neutral	Urbane
			Neutral	Urbane
content:	100% Polyurethane (Poly Polyester Backing	carbonate)	CULP CO	ONTRACT
repeat:	Non-Matching		contract@culp.co	om 336.888.6274
durability: seam slippage: flame retardance: cleaning:	195,000 Double Rubs 70 lbs. Warp / 44 lbs. Weft UFAC / NFPA 260 Class 1, W S (Bleach Cleanable 5:1	CAL 117-2013 Section 1		









Quattro Additional Colors / Order Samples: mayerfabrics.com



content: finish: repeat: durability: seam slippage: flame retardance: cleaning:

100% Polyester Stain Repellent Non-Matching 237,000 Double Rubs 65 lbs. Warp / 91 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 S

GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com 800.428.4415







Staple Additional Colors / Order Samples: cfstinson.com



content:

finish: durability: seam strength: flame retardance: cleaning:

100% Polyurethane (polycarbonate & polyester resins, polyester, cotton backing) Enhanced Soil and Stain Resistance 200,000 Double Rubs 61 lbs. Warp / 81 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WS (Bleach Cleanable 4:1) **Reduced Environmental Impact**

tinson

customerrelations@cfstinson.com 800.841.6279

Vibe Additional Colors / Order Samples: douglassfabric.com

250,000 Double Rubs

W (Bleach Cleaning 9:1)

UFAC / NFPA 260 Class 1, CAL 117-2013



douglassfabric.com 800.950.3684



durability: flame retardance:

cleaning:






Delano Additional Colors / Order Samples: <u>mayerfabrics.com</u>



UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 S Reduced Environmental Impact; GREENGUARD Gold Certified®

Haute Order Samples: culpcontract.com



content: repeat: durability: seam slippage: flame retardance: cleaning:

flame retardance:

cleaning:

100% Polyester Non-Matching 95,000 Double Rubs 60 lbs. Warp / 71 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 **W**

CULP CONTRACT

FURNITURE





Lattice Ho

Order Samples: cfstinson.com



finish: repeat durability: seam strength: flame retardance: cleaning:

Advanced Soil and Stain Resistant Top Coat 18" H x 18" V, Non-Matching / Directional Exceeds 1,300,000 Double Rubs 35 lbs. Warp / 30 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 9:1) **GREENGUARD** Certified®

Stinson customerrelations@cfstinson.com 800.841.6279

Midway 🐨 Additional Colors / Order Samples: mayerfabrics.com



repeat: durability: seam strength: flame retardance: cleaning:

with Ink-Resistance 18" H, 18" V 1,300,000 Double Rubs 35 lbs. Warp / 30 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W CFC (Bleach Cleanable 4:1) **GREENGUARD** Certified®







Moby Additional Colors / Order Samples: <u>cfstinson.com</u>



finish: repeat durability: seam strength: flame retardance: cleaning:

flame retardance:

cleaning:

S

100% Polyester Non-PFOA Stain Resistant Non-Matching 100,000 Double Rubs 87.2 lbs. Warp / 68.5 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W GREENGUARD Gold Certified®

Rumba Additional Colors / Order Samples: mayerfabrics.com



UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

FURNITURE

To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



FURNITURE



Cover Cloth HC Additional Colors / Order Samples: momentumtextilesandwalls.com

Cyan Antique Oat Platinum Navel Indigo Taupe Vesper Coffee **Fuchsia** Flame Graphite Bouquet content: 56% Repreve Post Consumer Recycled Polyester ΜΟΜΕΝΤυΜ 44% Polyester TEXTILES & WALLCOVERING finish: Crypton Green® customerservice@momtex.com | 800.366.6839 repeat: Non-Matching 200,000 Double Rubs durability: 71 lbs. Warp / 49 lbs. Weft seam slippage: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance: **KAG** W (Bleach Cleanable 9:1) cleaning: Recycled Fiber Content; GREENGUARD Gold Certified®

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Criss Cross 2.0 🔶

Additional Colors / Order Samples: cfstinson.com





content: finish: repeat durability: seam strength: flame retardance: cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat Non-Matching / Directional Exceeds 500,000 Double Rubs 60 lbs. Warp / 40 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WS (Bleach Cleanable 9:1) **GREENGUARD** Certified®

tinson

customerrelations@cfstinson.com 800.841.6279

Abyss

Brick

Edgeline


Additional Colors / Order Samples: douglassfabric.com



PARAG FURNITURE

To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.







Tangelo	Scarlet	Zest	Kelly	Regal
Aqua	Bluet	Cyan	Skylar	Bluestar
berg!				
Ash	Putty	Mink	Jetty	Ram
content: finish: repeat: durability: seam strength: flame retardance: cleaning:	100% Clean Vinyl / Phthalate Free Protective Overcoat® Non-Matching 1,000,000 Double Rubs 80.1 lbs. Warp / 68 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-24 W S (Bleach Cleanable 10:1) GREENGUARD Certified®	Customerservice@momtex.com 800.366.6839 013 Section 1, IMO Part 8		





Fedora Additional Colors / Order Samples: mayerfabrics.com



durability: seam slippage: flame retardance: cleaning:

100,000 Double Rubs 106.1 lbs. Warp / 109.3 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 w **GREENGUARD** Certified®

Honeycomb Shag

Additional Colors / Order Samples: cfstinson.com













Tint

tinson





content: finish: repeat durability: seam slippage: flame retardance: cleaning:

Non-PFOA Stain Resistant 14.5" H, 15.75" V 81,000 Double Rubs customerrelations@cfstinson.com 800.841.6279 96 lbs. Warp / 71 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WS (Bleach Cleanable 9:1) **GREENGUARD Gold Certified®**

Teal

63% Polyester, 37% Olefin


KAG FURNITURE



To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



HOPSACK HC Additional Colors / Order Samples: <u>cfstinson.com</u>



content: finish: repeat durability: seam slippage: flame retardance: cleaning:

100% Vinyl Face with 100% Polyester Backing Advanced Soil and Stain Resistant Top Coat Non-Matching 100,000 Double Rubs 46 lbs. Warp / 35 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 9:1) **GREENGUARD** Certified®

Stinson

customerrelations@cfstinson.com 800.841.6279

Silvertex NEO Additional Colors / Order Samples: douglassfabric.com



PARAG FURNITURE

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Tango Additional Colors / Order Samples: mayerfabrics.com









Raspberry

Limeade





Surfside

Skyline

content:

Harbor

100% Polyester PFOA & PFOS-Free Stain Repellent 4.8" l x 4.8" w 80,000 Double Rubs 96 lbs. Warp / 84 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 S

Sunrise

MAYERFABRICS

customerservice@mayerfabrics.com 800.428.4415

finish: repeat: durability: seam slippage: flame retardance: cleaning:

GREENGUARD Gold Certified® Tribeca CV Additional Colors / Order Samples: momentumtextilesandwalls.com



finish: repeat: durability: seam strength: flame retardance: cleaning:

Protective Overcoat® Non-Matching customerservice@momtex.com | 800.366.6839 100,000 Double Rubs 42 lbs. Warp / 46 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8 W (Bleach Cleanable 10:1) **GREENGUARD** Certified[®] PVC Free



TEXTILES & WALLCOVERING





OMENTUM

TEXTILES & WALLCOVERING

Vanguard CV

Additional Colors / Order Samples: momentumtextilesandwalls.com



content: finish: repeat: durability: seam slippage: flame retardance: cleaning:


100% Clean Vinyl / Phthalate Free Protective Overcoat® Non-Matching customerservice@momtex.com | 800.366.6839 100,000 Double Rubs 42 lbs. Warp / 46 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8 W (Bleach Cleanable 10:1) GREENGUARD Certified®, PVC Free







Beaux Additional Colors / Order Samples: <u>mayerfabrics.com</u>




content: finish: repeat: durability: seam strength: flame retardance: cleaning:

100% Post Consumer Recycled Polyester PFAS-Free Stain Repellent .188" H x 1.813" V 100,000 Double Rubs 29 lbs. Warp / 73 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WSBC (Bleach Cleanable 9:1)

MAYERFABRICS

customerservice@mayerfabrics.com 800.428.4415











Additional Colors / Order Samples: cfstinson.com



content: finish: repeat durability: seam slippage: flame retardance: cleaning:

Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat 4.625" H, 8.625" V 1,300,000 Double Rubs 35 lbs. Warp / 30 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 9:1) **GREENGUARD** Certified®

Stinson

customerrelations@cfstinson.com 800.841.6279

Mixology CV Additional Colors / Order Samples: momentumtextilesandwalls.com



Fresco

Tea Leaf


Chalice

Bamboo



Grotto

Cascade



Nightlife

MOMENTUM

TEXTILES & WALLCOVERING

Bluet

content: finish: repeat: durability: seam slippage: flame retardance: cleaning:


100% Clean Vinyl / Phthalate Free Protective Overcoat® 27" H, 0.125" V customerservice@momtex.com | 800.366.6839 250,000 Double Rubs 100.6 lbs. Warp / 101.9 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8 WS (Bleach Cleanable 10:1) **GREENGUARD Gold Certified®**



To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



Mixer EPU Additional Colors / Order Samples: momentumtextilesandwalls.com



repeat: durability: seam slippage: flame retardance: cleaning: 100% EPU Polyurethane Non-Matching 130,000 Double Rubs 64.5 lbs. Warp / 57.6 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 **W S** (Bleach Cleanable 4:1) GREENGUARD Certified®



ROW Additional Colors / Order Samples: <u>momentumtextilesandwalls.com</u>



FURNITURE





Sentiero (Additional Colors / Order Samples: <u>cfstinson.com</u>			
	Arancione	Aqua	Azzuro	Blu Scuro
Kiwi	Lido	Silk	Stella	Marrone

content: finish: repeat durability: seam slippage: flame retardance: cleaning:

Non-Phthalate Vinyl Surface, Recycled Polyester Backing Advanced Soil and Stain Resistant Top Coat Directional / Non-Matching 100,000 Double Rubs 46 lbs. Warp / 35 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 WS (Bleach Cleanable 10:1) GREENGUARD Gold Certified®

insor

customerrelations@cfstinson.com | 800.841.6279

FURNITURE

Silverweave 👾

Additional Colors / Order Samples: mayerfabrics.com



To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.





content: finish:

repeat durability: seam slippage: flame retardance: cleaning:

Phthalate-Free Vinyl Face with Polyester Backing Advanced Soil and Stain Resistant Top Coat + Ink Resistance 11.25" H, 11.875" V 100,000 Double Rubs 46 lbs. Warp / 35 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WSBC (Bleach Cleanable 9:1) **GREENGUARD** Certified®



customerrelations@cfstinson.com 800.841.6279







Caspian Additional Colors / Order Samples: mayerfabrics.com



finish: repeat: durability:

seam slippage:

cleaning:

flame retardance:

76% Polyester / 24% SEAQUAL® (Post-Consumer Recycled Polyester) PFAS-Free Stain Repellent 0.125" H x 2.5" V 100,000 Double Rubs 89 lbs. Warp / 125 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WSBC (Bleach Cleanable 9:1)

MAYERFABRICS


MAYERFABRICS

customerservice@mayerfabrics.com 800.428.4415

customerservice@mayerfabrics.com 800.428.4415

Curator

Additional Colors / Order Samples: mayerfabrics.com



content: finish:

repeat: durability: seam slippage: flame retardance: cleaning:

100% Polyester Crypton[®] with Antimicrobial Silver Ion Technology Directional / Non-Matching 100,000 Double Rubs 108 lbs. Warp / 150.1 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 CWBC (Bleach Cleanable 10:1)

> PARAG FURNITURE





Fidget Order Samples: <u>cfstinson.com</u>





Moonbeam



Seanort



Valley

content: finish: repeat durability: seam slippage: flame retardance: cleaning:

70% Polyester, 30% Nylon with Acrylic Backing Non-Fluorine Stain Resistant 14.125" H, 14.25" V 100,000 Double Rubs 47.1 lbs. Warp / 73.3 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 4:1) **GREENGUARD Gold Certified®**

Garnet

Stinson

7eal

Adventure

customerrelations@cfstinson.com 800.841.6279

Riverstone 🐨 Additional Colors / Order Samples: cfstinson.com





Mineral







Wate



content: finish:

repeat durability: seam slippage: flame retardance: cleaning:

Phthalate-Free Vinyl Face with Polyester Backing Advanced Soil and Stain Resistant Top Coat + Ink Resistance 16.875" H, 8" V (Non-Matching Directional) customerrelations@cfstinson.com 800.841.6279 1,300,000 Double Rubs 35 lbs. Warp / 30 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 9:1) **GREENGUARD Gold Certified®**

Bayou

Stinson

Slate









Roadmap Order Samples: cfstinson.com



content: finish: repeat durability: seam slippage: flame retardance: cleaning: 80% Post-Consumer Recycled Polyester, 20% Polyester Non-Fluorine Stain Resistant 13.75" H, 18.25" V 75,000 Double Rubs 98.2 lbs. Warp / 94.4 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 **W S** (Bleach Cleanable 9:1) GREENGUARD Gold Certified®



customerrelations@cfstinson.com 800.841.6279








Additional Colors / Order Samples: mayerfabrics.com



Cycle Additional Colors / Order Samples: cfstinson.com

W (Bleach Cleanable 10:1) GREENGUARD Gold Certified®



FURNITURE

cleaning:

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Fiberdrill Additional Colors / Order Samples: cfstinson.com




content: finish: repeat durability: seam slippage: flame retardance: cleaning:

100% Polyurethane (Polycarbonate Resins) Advanced Soil & Stain Resistant Top Coat Non-Matching 300,000 Double Rubs 70.3 lbs. Warp / 66.2 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 4:1) **GREENGUARD** Certified®

Stinson

customerrelations@cfstinson.com 800.841.6279

Glimpse Order Samples: <u>cfstinson.com</u>



content: finish: repeat durability: seam slippage: flame retardance: cleaning:

65% Polyester, 32% Cotton Non-Fluorine Stain Resistant 14" H, 23.125" V 100,000 Double Rubs 134 lbs. Warp / 103 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 S GREENGUARD Gold Certified®


tinson customerrelations@cfstinson.com 800.841.6279

> PARAG FURNITURE

To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.



Scout Additional Colors / Order Samples: mayerfabrics.com



content: finish: repeat: durability: seam slippage: flame retardance: cleaning:

91% Polyester, 7% Polyurethane, 2% Silicone MAYERFABRICS Supreen (Silicone) 0.275" H x 0.275" V 100,000 Double Rubs 88.5 lbs. Warp / 89.5 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WSBC (Bleach Cleanable 9:1) **GREENGUARD** Certified®

customerservice@mayerfabrics.com 800.428.4415



ARAG URNITURE F

To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



Upgrade Order Samples: cfstinson.com









Citrus



Rocket



Brightside

Max

Multi

Perk



content:

repeat durability: seam strength: flame retardance: cleaning:

55% Polyester, 29% Nylon, 6% Post-Consumer **Recycled Polyester** 14" H, 13.5" V 100,000 Double Rubs 71.4 lbs. Warp / 108.7 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WS (Bleach Cleanable 10:1) **GREENGUARD Gold Certified®**

Stinson

customerrelations@cfstinson.com | 800.841.6279





To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.





content: finish: repeat: durability: seam strength: flame retardance: cleaning:

92% Polyester, 6% Polyurethane, 2% Silicone MAYERFABRICS Supreen (Silicone) PFC/PFOA-Free Non-Matching, Directional 100,000 Double Rubs 87.5 lbs. Warp / 99.5 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WSBC (Bleach Cleanable 9:1)

GREENGUARD Gold Certified®

customerservice@mayerfabrics.com 800.428.4415



To ensure color accuracy, please order a memo sample. Reach out to guotes@paragoninc.com for more info.











Rain

Terra







Moonsto



content: flame retardance:


Non-Phthalate Vinyl Surface with Polyester Backing Advanced Soil & Stain Resistant Top Coat 13.125" H, 11.875" V 100,000 Double Rubs 46 lbs. Warp / 35 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 WBC (Bleach Cleanable 9:1) **GREENGUARD** Certified®

Stinson

customerrelations@cfstinson.com 800.841.6279

finish: repeat durability: seam slippage: cleaning:

Pebble Trail Order Samples: cfstinson.com



content: finish:

repeat durability: seam slippage: flame retardance: cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing Advanced Soil & Stain Resistant Top Coat + Ink & Denim Resistance 13.5" H, 9" V, Directional 100,000 Double Rubs 46 lbs. Warp / 35 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 W (Bleach Cleanable 9:1) **GREENGUARD Gold Certified®**

tinson

customerrelations@cfstinson.com 800.841.6279



To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



Tradewinds CV HC

Order Samples: momentumtextilesandwalls.com



finish: repeat: durability: seam strength: flame retardance: cleaning: 100% Clean Vinyl / Phthalate Free Protective Overcoat® 9" H, 8.75" V 200,000 Double Rubs 46 lbs. Warp / 39 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013, IMO Part 8 **W S** (Bleach Cleanable 10:1) GREENGUARD Gold Certified®, PVC Free







Paragon Furniture NOW_fabrics_May2025 2224 E Randol Mill Rd Arlington, TX 76011

(p) 817.633.3242

https://www.paragoninc.com/

