



Fabrics marked with an asterisk (\*) are not available for the Oingo Stool. Please refer to the Oingo Stool Fabric Options document for approved selections.

(Total number of available pattern colors in parenthesis)

#### Grade 2

Pg 3- Dillon (32)

Pg 3- Dorset\* (21)

Pg 4- Impulse (27)

Pg 4- Ridgecrest\* (12)

Pg 5- Yosemite (11)

#### Grade 3

Pg 6- Chronicle\* (12)

Pg 6- Connelly\* (14)

Pg 7- Ego\* (9)

Pg 7- Graph\* (13)

Pg 8- Hathaway\* (19)

Pg 8- Linette\* (16)

Pg 9- Origin\* (42)

Pg 9- Punch Card\* (14)

Grade 7

Pg 27- Dexter EPU (13)

Pg 28- Mixology CV\* (12)

Pg 29- Mixer EPU (20)

Pg 30- Sentiero (24)

Pg 27- Beaux\* (14)

Pg 28- Level (9)

Pg 29- Row (30)

Pg 10- Scatter\* (9)

Pg 10- Utmost\* (11)

Pg 11- Viceroy (19)

#### Grade 4

Pg 12- Apprentice\* (11)

Pg 12- Box Chain (17)

Pg 13- Castillo (16)

Pg 13- Cross Check\* (20)

Pg 14- Foundation 10\* (37)

Pg 14- Golly (22)

Pg 15- Lara (58)

Pg 15- Quattro\* (18)

Pg 16- Staple (29)

Pg 16- Vibe (23)

#### Grade 5

Pg 17- Delano\* (23)

Pg 17- Haute\* (11)

Pg 18- Lattice (10)

Pg 18- Midway (5)

Pg 19- Moby\* (12)

Pg 19- Rumba\* (8)

#### Grade 6

Pg 20- All Seasons\* (73)

Pg 20- Cover Cloth\* (24)

Pg 21- Criss Cross 2.0\* (38)

Pg 21- Edgeline (22)

Pg 22- Endurance EPU (36)

Pg 22- Evo CV\* (36)

Pg 23- Fedora\* (25)

Pg 23- Honeycomb Shag\* (8) Pg 30- Vector (9)

Pg 24- Hopsack (18)

Pg 24- Silvertex NEO (37)

Pg 25- Tango\* (10)

Pg 25- Tribeca CV (20)

Pg 26- Vanguard CV (18)

Grade 8

Pg 31- Caspian\* (14)
Pg 31- Curator\* (10)

Pg 32- Fidget\* (8)

Pg 32- Riverstone (9)

Pg 33- Roadmap\* (8)

Riverstone (9)

#### Grade 9

Pg 34- Arc\* (7)

Pg 34- Cycle\* (11)

Pg 35- Glimpse\* (8)

Pg 35- Scout\* (14)

Pg 36- Silica (58)

Pg 36 Upgrade\* (8)

#### Grade 10

Pg 37- Centric\* (12)

Pg 37- Haven\* (25)

Pg 38- Meteor (9)

Pg 38- Pebble Trail (8)

Pg 39- Tradewinds CV\* (8)



Look for this symbol for upholsteries best suited for healthcare applications.



Look for this symbol for upholsteries that are not compatible with the Oingo Stool.





## Dillon 🔫

Additional Colors / Order Samples: culpcontract.com



content: 100% Polyurethane

finish: Antimicrobial - Silver Ion Technology

Non-Matching repeat: 200,000 Double Rubs durability: seam strength: 92 lbs. Warp / 77 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 5:1)

#### **CULP CONTRACT**

contract@culp.com 336.888.6274

#### **Dorset**



Additional Colors / Order Samples: culpcontract.com



Smoke Blue



Platinum





Denim



Charcoal

content: 100% Polyester

i-Clean™ Stain & Moisture Repellent finish:

Non-Matching repeat: 55,000 Double Rubs durability: 41 lbs. Warp / 38 lbs. Weft seam strength:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

Taupe

cleaning:







### **Impulse**

Additional Colors / Order Samples: douglassfabric.com



content: 100% PVC Vinyl, Polyester Backing

finish: Stain Resistant

repeat: None

durability: 100,000 Double Rubs

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013

**cleaning: W** (Bleach Cleanable 9:1)



douglassfabric.com | 800.950.3684

## Ridgecrest



Additional Colors / Order Samples: culpcontract.com



content: 100% Polyester
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 88 lbs. Warp / 84 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:





Ruby





## Yosemite (\*\*)



Additional Colors / Order Samples: culpcontract.com



100% Polyurethane with 70% Polyester, content:

30% Cotton Backing

Antimicrobial finish: Non-Matching repeat: 100,000 Double Rubs durability:

61 lbs. Warp / 68 lbs. Weft seam strength:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

W (Bleach Cleanable 5:1) cleaning:

#### **CULP CONTRACT**





## **Chronicle**



Additional Colors / Order Samples: culpcontract.com











Goldenrod



Granite



100% Polyester content:

finish:

i-Clean™ Stain & Moisture Repellent

Non-Matching repeat: 95,000 Double Rubs durability: 100 lbs. Warp / 95 lbs. Weft seam strength:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

cleaning:

#### **CULP CONTRACT**

contract@culp.com 336.888.6274

## Connelly



Additional Colors / Order Samples: culpcontract.com

Dove













Parrot

100% Polyester Non-Matching 95,000 Double Rubs 45 lbs. Warp / 38 lbs. Weft

seam slippage: flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

content:

repeat: durability:

**CULP CONTRACT** 



## Ego



Additional Colors / Order Samples: momentumtextilesandwalls.com











Midnight

Dove

Galena

Onyx

MOMENTUM

customerservice@momtex.com | 800.366.6839

content:

repeat:

durability:

seam slippage:

flame retardance:

85% Polyester, 15% Viscose Rayon

Foil

Non-Matching 250,000 Double Rubs

67.8 lbs. Warp / 55.3 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W S

Reduced Environmental Impact;

GREENGUARD Certified®, NSF 336 Compliant

## Graph



Additional Colors / Order Samples: momentumtextilesandwalls.com













Alpine



content:

finish:

repeat:

durability:

75% Repreve Post Consumer Recycled Polyester

25% Polyester Non-Matching 7.5" l x 3.357" w

170,000 Double Rubs

seam slippage: 100.7 lbs. Warp / 89.9 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

Recycled Fiber Content; GREENGUARD Gold Certified®



MOMENTUM







## Hathaway 46



Additional Colors / Order Samples: culpcontract.com





Aqua

Cafe





Fire Ocean



For

Electric Blue

CULP CONTRACT

contract@culp.com 336.888.6274

content: 100% Vinyl
finish: Antimicrobial
repeat: Non-Matching

durability:100,000 Double Rubsseam strength:44 lbs. Warp / 53 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 5:1)

## Linette 46



Additional Colors / Order Samples: culpcontract.com



content: 100% Vinyl

finish: i-Clean™ Anti-Microbial

repeat: Non-Matching

durability:100,000 Double Rubsseam strength:67 lbs. Warp / 69 lbs. Weft


flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 5:1)





Additional Colors / Order Samples: momentumtextilesandwalls.com



**content:** 100% Post Consumer Recycled Polyester

repeat: Non-Matching durability: 282,000 Double Rubs seam slippage: 88 lbs. Warp / 79 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WS


flame retardance:

Reduced Environmental Impact; Recycled Fiber Content, GREENGUARD Gold Certified®, NSF 336 Compliant

#### **Punch Card**



Additional Colors / Order Samples: <u>culpcontract.com</u>



**content:** 61% Polyester, 39% Repreve® Recycled Polyester

repeat: 7.5" H, 11" V

durability:40,000 Double Rubsseam slippage:40 lbs. Warp, 55 lbs. Weft

**flame retardance:** UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: V



MOMENTUM

TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839



#### NOW **FABRIC OPTIONS**

To ensure color accuracy, please order a memo sample. Reach out to <a href="mailto:quotes@paragoninc.com">quotes@paragoninc.com</a> for more info.



#### Scatter



Order Samples: momentumtextilesandwalls.com

















MOMENTUM

content:

durability:

seam slippage:

repeat:

78% Polyester, 22% Post Consumer Recycled

Fossil

Polyester

Non-Matching 90,000 Double Rubs

57.0 lbs. Warp / 50.8 lbs. Weft

flame retardance: cleaning:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W S


Reduced Environmental Impact; Recycled Fiber Content, GREENGUARD Certified®, NSF 336 Compliant

## **Utmost**



Order Samples: culpcontract.com









Fleece



customerservice@momtex.com | 800.366.6839

Plum

Meteor

content:

repeat:

30% Repreve Recycled Polyester, 70% Polyester

i-Clean™ Stain & Moisture Repellent

1" H, 1.25" V durability:

95,000 Double Rubs seam slippage: flame retardance: 53 lbs. Warp / 56 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 cleaning:

W





#### NOW FABRIC OPTIONS

To ensure color accuracy, please order a memo sample. Reach out to <a href="mailto:quotes@paragoninc.com">quotes@paragoninc.com</a> for more info.



Viceroy HC Additional Colors / Order Samples: culpcontract.com











Peacock



content:

finish:

100% Polyurethane (Polycarbonate)

Bordeaux

Polyester Backing Antimicrobial

repeat: Non-Matching durability: 200,000 Double Rubs seam slippage: 42 lbs. Warp / 71 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

cleaning: W S

#### **CULP CONTRACT**







## Apprentice



Additional Colors / Order Samples: cfstinson.com











Heron

Sisal

Ember







100% Polypropylene

finish: None

content:

repeat: Non-Matching durability: 90,000 Double Rubs

seam strength: 66.0 lbs. Warp / 74.0 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WS (Bleach Cleanable 19:1) GREENGUARD Gold Certified®

customerrelations@cfstinson.com 800.841.6279

#### **Box Chain** (%)



Additional Colors / Order Samples: cfstinson.com




content:

finish:











Antelope





Amalfi

Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat

Frost

repeat: Non-Matching

durability: 100,000 Double Rubs seam strength: 46 lbs. Warp / 35 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 19:1) GREENGUARD Certified®

customerrelations@cfstinson.com 800.841.6279





## Castillo (16)



Additional Colors / Order Samples: culpcontract.com

















content:

100% Polyurethane with 87% Polyester

Buttercream

13% Cotton Backing

finish: i-Clean™ Stain & Moisture Repellent

repeat: Non-Matching

200,000 Double Rubs durability: seam slippage: 31 lbs. Warp / 58 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

cleaning: W (Bleach Cleanable 5:1)

#### **CULP CONTRACT**

contract@culp.com 336.888.6274

#### **Cross Check**





Additional Colors / Order Samples: mayerfabrics.com













Paradise

Taupe

**MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415

repeat: durability: seam slippage: flame retardance:

content:

finish:

258,000 Double Rubs 55 lbs. Warp / 59 lbs. Weft

100% Polyester

Stain Repellent

Non-Matching

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

GREENGUARD Certified®








## Foundation 10



Additional Colors / Order Samples: mayerfabrics.com














Concord







**MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415



content:

finish:

repeat:

65% Pre Consumer Recycled Polyester 35% Post Consumer Recycled Polyester

Blue Mist

Stain Repellent

Non-Matching 1,000,000 Double Rubs

durability: 55 lbs. Warp / 52 lbs. Weft seam slippage:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

cleaning:

GREENGUARD Certified®









Porcini





Rosemary



content:

repeat:

durability: seam slippage: 100% Polyurethane (Polycarbonate)

Silver

Polyester Backing Non-Matching 195,000 Double Rubs

70 lbs. Warp / 44 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

flame retardance: WS (Bleach Cleanable 5:1) cleaning:

**CULP CONTRACT** 

contract@culp.com 336.888.6274

Neutral







#### Lara (H) Additional Colors / Order Samples: cfstinson.com



content: Non-Phthalate Vinyl Surface with Polyester Backing finish: Advanced Soil and Stain Resistant Top Coat

repeat: Non-Matching / Directional durability: Exceeds 1,300,000 Double Rubs seam slippage: 35 lbs. Warp / 30 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 9:1) GREENGUARD Certified®

customerrelations@cfstinson.com 800.841.6279

### Quattro



Additional Colors / Order Samples: mayerfabrics.com















Granite

Khaki

content: 100% Polyester finish: Stain Repellent repeat: Non-Matching durability: 237,000 Double Rubs

seam slippage: 65 lbs. Warp / 91 lbs. Weft S

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

GREENGUARD Certified®



customerservice@mayerfabrics.com 800.428.4415





finish:



#### Staple Additional Colors / Order Samples: cfstinson.com



content: 100% Polyurethane (polycarbonate & polyester

resins, polyester, cotton backing) Enhanced Soil and Stain Resistance

durability: 200,000 Double Rubs

**seam strength:** 61 lbs. Warp / 81 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

**cleaning:** W S (Bleach Cleanable 4:1)
Reduced Environmental Impact

## Stinson

customerrelations@cfstinson.com 800.841.6279

#### Vibe Additional Colors / Order Samples: douglassfabric.com



content: 100% Phthalate Free PVC Vinyl

**finish:** Resilience<sup>SR</sup> **repeat:** None

**durability:** 250,000 Double Rubs

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013

cleaning: W (Bleach Cleaning 9:1)









To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



### Delano



Additional Colors / Order Samples: mayerfabrics.com












Bittersweet



**MAYER** FABRICS


customerservice@mayerfabrics.com 800.428.4415



Maritime Hyacinth

Cherry

Mink



content:

finish:

repeat:

durability:

100% Polyester

Stain Repellent, PFAS-Free

Non-Matching

100,000 Double Rubs

77.4 lbs. Warp / 71.4 lbs. Weft

flame retardance:

seam strength:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

Reduced Environmental Impact; GREENGUARD Gold Certified®

### **Haute**



Order Samples: culpcontract.com












Caviar





100% Polyester Non-Matching 95,000 Double Rubs 60 lbs. Warp / 71 lbs. Weft

Toadstool

seam slippage: flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

content:

repeat: durability:








## Lattice (16)

Order Samples: cfstinson.com



content: Non-Phthalate Vinyl Surface with Polyester Backing finish: Advanced Soil and Stain Resistant Top Coat repeat 18" H x 18" V, Non-Matching / Directional

Clay

durability: Exceeds 1,300,000 Double Rubs

seam strength: 35 lbs. Warp / 30 lbs. Weft flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 9:1) GREENGUARD Certified®

Goldfinch

Grove

customerrelations@cfstinson.com 800.841.6279

**MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415

Metro

## Midway His



Additional Colors / Order Samples: mayerfabrics.com



80% Phthalate-Free Vinyl Facing, content:

20% Polyester Backing

finish: Soil & Stain Resistant Top Coat

with Ink-Resistance

repeat: 18" H, 18" V

durability: 1,300,000 Double Rubs seam strength: 35 lbs. Warp / 30 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W CFC (Bleach Cleanable 4:1) GREENGUARD Certified®

FURNITURE



# Moby (§



Additional Colors / Order Samples: cfstinson.com












Cloud







content:

finish:

repeat

durability:

seam strength:

100% Polyester

Non-PFOA Stain Resistant

Non-Matching

100,000 Double Rubs

87.2 lbs. Warp / 68.5 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

flame retardance: cleaning:

W GREENGUARD Gold Certified®


customerrelations@cfstinson.com 800.841.6279

### Rumba



Additional Colors / Order Samples: mayerfabrics.com













Cobalt

100% Polyester

PFAS-Free Stain Repellent

3.7" H, 6.625" V repeat: 55,000 Double Rubs durability:

87.0 lbs. Warp / 44.0 lbs. Weft

seam slippage: flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

S cleaning:

content: finish:

#### **MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415





#### **All Seasons**



Additional Colors / Order Samples: mayerfabrics.com



**content:** 88% Vinyl - Phthalate Free

12% Polyester Backing

**finish:** Soil & Stain Resistant Top Coat with

Ink Resistant Technology

repeat: Non-Matching

**durability:** Exceeds 1,300,000 Double Rubs **seam strength:** 60 lbs. Warp / 30 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WS CFC (Bleach Cleanable 9:1)

 ${\tt Reduced\ Environmental\ Impact;\ GREENGUARD\ Gold}$ 

Certified®

## Cover Cloth 165



Additional Colors / Order Samples: momentumtextilesandwalls.com

**MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415



**content:** 56% Repreve Post Consumer Recycled Polyester

44% Polyester Crypton Green® Non-Matching

repeat: Non-Matching
durability: 200,000 Double Rubs
seam slippage: 71 lbs. Warp / 49 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

**cleaning: W** (Bleach Cleanable 9:1)

Recycled Fiber Content; GREENGUARD Gold Certified®



Graphite

MOMENTUM

TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Platinum

finish:



### Criss Cross 2.0





Additional Colors / Order Samples: cfstinson.com



content: Non-Phthalate Vinyl Surface with Polyester Backing finish: Advanced Soil and Stain Resistant Top Coat

repeat Non-Matching / Directional durability: Exceeds 500,000 Double Rubs

seam strength: 60 lbs. Warp / 40 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WS (Bleach Cleanable 9:1) GREENGUARD Certified®

customerrelations@cfstinson.com 800.841.6279

### Edgeline

Additional Colors / Order Samples: douglassfabric.com



100% PVC Vinyl, Nylon Backing content:

finish: Stain Resistant 3.7" H, 6.625" V repeat: durability: 100,000 Double Rubs

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W



douglassfabric.com | 800.950.3684





### **Endurance EPU**



Additional Colors / Order Samples: momentumtextilesandwalls.com

MOMENTUM

TEXTILES & WALLCOVERING



content: 100% EPU Polyurethane repeat: Non-Matching

durability: 1,000,000 Double Rubs seam strength: 100 lbs. Warp / 95.4 lbs. Weft

customerservice@momtex.com | 800.366.6839 flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning: W (Bleach Cleanable 4:1)

Reduced Environmental Impact; GREENGUARD Certified®,

**PVC Free** 





Additional Colors / Order Samples: momentumtextilesandwalls.com



content: 100% Clean Vinyl / Phthalate Free

finish: Protective Overcoat® repeat: Non-Matching

durability: 1,000,000 Double Rubs seam strength: 80.1 lbs. Warp / 68 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning: WS (Bleach Cleanable 10:1) GREENGUARD Certified®



MOMENTUM

customerservice@momtex.com | 800.366.6839







Additional Colors / Order Samples: mayerfabrics.com



content: 100% Polyester

finish: Non-PFOA Stain Repellent

repeat: Non-Matching

durability: 100,000 Double Rubs

seam slippage: 106.1 lbs. Warp / 109.3 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

GREENGUARD Certified®

# **Honeycomb Shag**



Additional Colors / Order Samples: cfstinson.com

**MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415



content: 63% Polyester, 37% Olefin finish: Non-PFOA Stain Resistant repeat 14.5" H, 15.75" V

durability: 81,000 Double Rubs seam slippage: 96 lbs. Warp / 71 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

WS (Bleach Cleanable 9:1) cleaning: GREENGUARD Gold Certified®



customerrelations@cfstinson.com 800.841.6279





## Hopsack HC Additional Colors / Order Samples: cfstinson.com



content: 100% Vinyl Face with 100% Polyester Backing finish: Advanced Soil and Stain Resistant Top Coat

repeat Non-Matching

durability: 100,000 Double Rubs seam slippage: 46 lbs. Warp / 35 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 9:1) GREENGUARD Certified®

customerrelations@cfstinson.com 800.841.6279

#### Silvertex NEO Additional Colors / Order Samples: douglassfabric.com



content: 100% Vinyl, Urethane Topcoat finish: Silverguard® PermaBlok3®

repeat: None

durability: 100,000 Double Rubs

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1) cleaning:



douglassfabric.com | 800.950.3684







To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



# Tango



Additional Colors / Order Samples: mayerfabrics.com

















content: finish:

100% Polyester

PFOA & PFOS-Free Stain Repellent

customerservice@mayerfabrics.com 800.428.4415

**MAYER** FABRICS

repeat: durability: 4.8" l x 4.8" w 80,000 Double Rubs

seam slippage: 96 lbs. Warp / 84 lbs. Weft

flame retardance:

Harbor

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

GREENGUARD Gold Certified®


Sunrise

#### Tribeca CV

Additional Colors / Order Samples: <u>momentumtextilesandwalls.com</u>

Airy















content: 100% Clean Vinyl / Phthalate Free

finish: Protective Overcoat® repeat: Non-Matching durability: 100,000 Double Rubs seam strength: 42 lbs. Warp / 46 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning: W (Bleach Cleanable 10:1)

GREENGUARD Certified® PVC Free









## Vanguard CV Additional Colors / Order Samples: momentumtextilesandwalls.com









Calico





content: 100% Clean Vinyl / Phthalate Free

finish: Protective Overcoat®
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 42 lbs. Warp / 46 lbs. Weft

TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning: W (Bleach Cleanable 10:1)

GREENGUARD Certified®, PVC Free





To ensure color accuracy, please order a memo sample. Reach out to <a href="mailto:quotes@paragoninc.com">quotes@paragoninc.com</a> for more info.



### Beaux



Additional Colors / Order Samples: mayerfabrics.com



content: 100% Post Consumer Recycled Polyester finish: PFAS-Free Stain Repellent

repeat: .188" H x 1.813" V

durability: 100,000 Double Rubs seam strength: 29 lbs. Warp / 73 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

WSBC (Bleach Cleanable 9:1) cleaning:

#### **MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415

#### **Dexter EPU** Additional Colors / Order Samples: momentumtextilesandwalls.com



content: 100% EPU Polyurethane repeat: 9.5" H, 20" V

durability: 285,000 Double Rubs seam slippage: 61.8 lbs. Warp / 57.5 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning: **W** (Bleach Cleanable 4:1)

GREENGUARD Certified®











Additional Colors / Order Samples: cfstinson.com



content: Vinyl Surface with Polyester Backing finish: Advanced Soil and Stain Resistant Top Coat

repeat 4.625" H, 8.625" V

durability: 1,300,000 Double Rubs seam slippage: 35 lbs. Warp / 30 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 9:1) GREENGUARD Certified®

# Stinson

customerrelations@cfstinson.com 800.841.6279

# Mixology CV (16)



Additional Colors / Order Samples: momentumtextilesandwalls.com



content: 100% Clean Vinyl / Phthalate Free

finish: Protective Overcoat® repeat: 27" H, 0.125" V durability: 250,000 Double Rubs

seam slippage: 100.6 lbs. Warp / 101.9 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning: W S (Bleach Cleanable 10:1) GREENGUARD Gold Certified®









#### **Mixer EPU** Additional Colors / Order Samples: momentumtextilesandwalls.com



content: 100% EPU Polyurethane

repeat: Non-Matching durability: 130,000 Double Rubs seam slippage:

64.5 lbs. Warp / 57.6 lbs. Weft flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013

cleaning: WS (Bleach Cleanable 4:1) GREENGUARD Certified®

MOMENTUM TEXTILES & WALLCOVERING customerservice@momtex.com | 800.366.6839

#### Row Additional Colors / Order Samples: momentumtextilesandwalls.com



content: 100% Polyurethane / PVC Free

repeat: Non-Matching durability: 500,000 Double Rubs

seam slippage: 110 lbs. Warp / 84 lbs. Weft flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: W (Bleach Cleanable 4:1)

GREENGUARD Certified® PVC Free







## Sentiero 🔫



Additional Colors / Order Samples: cfstinson.com



content: Non-Phthalate Vinyl Surface, Recycled Polyester Backing finish:

Advanced Soil and Stain Resistant Top Coat repeat Directional / Non-Matching

durability: 100,000 Double Rubs seam slippage: 46 lbs. Warp / 35 lbs. Weft


flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013

cleaning: W S (Bleach Cleanable 10:1) GREENGUARD Gold Certified®

customerrelations@cfstinson.com 800.841.6279

# Vector ( )

Additional Colors / Order Samples: cfstinson.com



content: Phthalate-Free Vinyl Face with Polyester Backing finish:

Advanced Soil and Stain Resistant Top Coat + Ink

Resistance

repeat 11.25" H, 11.875" V durability: 100,000 Double Rubs

seam slippage: 46 lbs. Warp / 35 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 cleaning:

WSBC (Bleach Cleanable 9:1) GREENGUARD Certified®



customerrelations@cfstinson.com 800.841.6279







To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



## Caspian




Additional Colors / Order Samples: mayerfabrics.com















Mushroom



content:

finish:

76% Polyester / 24% SEAQUAL® (Post-

Consumer Recycled Polyester) PFAS-Free Stain Repellent

repeat: 0.125" H x 2.5" V durability: 100,000 Double Rubs seam slippage: 89 lbs. Warp / 125 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

WSBC (Bleach Cleanable 9:1) cleaning:

#### **MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415

#### **Curator**



Additional Colors / Order Samples: mayerfabrics.com

















content: 100% Polyester

finish: Crypton® with Antimicrobial Silver Ion

Technology

Directional / Non-Matching repeat: 100,000 Double Rubs durability:

108 lbs. Warp / 150.1 lbs. Weft seam slippage:

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 CWBC (Bleach Cleanable 10:1) cleaning:

#### MAYERFABRICS

customerservice@mayerfabrics.com 800.428.4415





## **Fidget**



Order Samples: cfstinson.com















Stinson

customerrelations@cfstinson.com 800.841.6279

content: 70% Polyester, 30% Nylon with Acrylic Backing

finish: Non-Fluorine Stain Resistant

repeat 14.125" H, 14.25" V durability: 100,000 Double Rubs seam slippage: 47.1 lbs. Warp / 73.3 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 4:1) cleaning: GREENGUARD Gold Certified®


Riverstone (HC)



Additional Colors / Order Samples: cfstinson.com













Phthalate-Free Vinyl Face with Polyester Backing

Advanced Soil and Stain Resistant Top Coat + Ink

16.875" H, 8" V (Non-Matching Directional)

durability: 1,300,000 Double Rubs seam slippage: 35 lbs. Warp / 30 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1) cleaning: GREENGUARD Gold Certified®



customerrelations@cfstinson.com 800.841.6279



content:

finish:

repeat



To ensure color accuracy, please order a memo sample. Reach out to <u>quotes@paragoninc.com</u> for more info.



## Roadmap




Order Samples: cfstinson.com

















content: 80% Post-Consumer Recycled Polyester, 20% Polyester

finish: Non-Fluorine Stain Resistant

repeat 13.75" H, 18.25" V durability: 75,000 Double Rubs seam slippage:

98.2 lbs. Warp / 94.4 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WS (Bleach Cleanable 9:1) GREENGUARD Gold Certified®

customerrelations@cfstinson.com 800.841.6279





Additional Colors / Order Samples: mayerfabrics.com









Granite







content: 100% Post Consumer Recycled Polyester

finish: PFAS-Free Stain Repellent repeat: 7.25" H x 11.75" V

durability: 60,000 Double Rubs seam slippage: 87 lbs. Warp / 96 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WSBC (Bleach Cleanable 9:1)

#### **MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415

# Cycle (§

Additional Colors / Order Samples: cfstinson.com

















content: 100% Polyester

finish: Advanced Soil and Stain Resistant Top Coat

repeat 14" H, 16.375" V durability: 100,000 Double Rubs seam slippage:

52.1 lbs. Warp / 58.7 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

flame retardance: W (Bleach Cleanable 10:1) cleaning:

GREENGUARD Gold Certified®



customerrelations@cfstinson.com 800.841.6279





## Glimpse



Order Samples: cfstinson.com



content: 65% Polyester, 32% Cotton finish: Non-Fluorine Stain Resistant repeat

14" H, 23.125" V durability: 100,000 Double Rubs seam slippage: 134 lbs. Warp / 103 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

GREENGUARD Gold Certified®

# tinson

customerrelations@cfstinson.com 800.841.6279

Shamrock

Everglade

## Scout (



Additional Colors / Order Samples: mayerfabrics.com



content: 91% Polyester, 7% Polyurethane, 2% Silicone

finish: Supreen (Silicone) repeat: 0.275" H x 0.275" V durability: 100,000 Double Rubs

seam slippage: 88.5 lbs. Warp / 89.5 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WSBC (Bleach Cleanable 9:1) GREENGUARD Certified®



customerservice@mayerfabrics.com 800.428.4415







### Silica 🔫



Additional Colors / Order Samples: momentumtextilesandwalls.com



content: 100% Silicone repeat: Non-Matching durability: 365,000 Double Rubs seam strength: 71 lbs. Warp / 79 lbs. Weft

customerservice@momtex.com 800.366.6839

MOMENTUM

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8


cleaning: WS (Bleach Cleanable 4:1)

GREENGUARD Gold Certified® PVC Free

# **Upgrade**



Order Samples: cfstinson.com



content: 55% Polyester, 29% Nylon, 6% Post-Consumer

Recycled Polyester

repeat 14" H, 13.5" V durability: 100,000 Double Rubs

seam strength: 71.4 lbs. Warp / 108.7 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WS (Bleach Cleanable 10:1) GREENGUARD Gold Certified®



customerrelations@cfstinson.com 800.841.6279







## Centric (HC)



Additional Colors / Order Samples: mayerfabrics.com
















content:

finish:

repeat:

81% Polyester/19% Post-Consumer

Recycled Polyester

Crypton® with Antimicrobial Silver

Ion Technology 2.5" H x 1.375" V

102,000 Double Rubs durability: 84 lbs. Warp / 90 lbs. Weft seam strength:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

CWBC (Bleach Cleanable 9:1) cleaning: GREENGUARD Certified®

#### **MAYER** FABRICS

customerservice@mayerfabrics.com 800.428.4415

### Haven




Additional Colors / Order Samples: mayerfabrics.com















Ruby

92% Polyester, 6% Polyurethane, 2% Silicone

Apricot

Supreen (Silicone) PFC/PFOA-Free Non-Matching, Directional 100,000 Double Rubs

customerservice@mayerfabrics.com 800.428.4415

MAYERFABRICS

seam strength: flame retardance:

content:

finish:

repeat:

durability:

cleaning:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

WSBC (Bleach Cleanable 9:1) GREENGUARD Gold Certified®

87.5 lbs. Warp / 99.5 lbs. Weft







Meteor (HC) Additional Colors / Order Samples: cfstinson.com












Vessel







content:

finish:

repeat

durability:

seam slippage:

flame retardance:

Non-Phthalate Vinyl Surface with Polyester Backing

Advanced Soil & Stain Resistant Top Coat

13.125" H, 11.875" V 100,000 Double Rubs

46 lbs. Warp / 35 lbs. Weft UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning: WBC (Bleach Cleanable 9:1) GREENGUARD Certified®

# Stinson

customerrelations@cfstinson.com 800.841.6279

## Pebble Trail (HG)



Order Samples: cfstinson.com


















content: finish:

Non-Phthalate Vinyl Surface with Polyester Backing Advanced Soil & Stain Resistant Top Coat + Ink & Denim

Resistance

13.5" H, 9" V, Directional repeat durability: 100,000 Double Rubs seam slippage: 46 lbs. Warp / 35 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1 flame retardance:

Delta

W (Bleach Cleanable 9:1) cleaning: GREENGUARD Gold Certified® customerrelations@cfstinson.com 800.841.6279







To ensure color accuracy, please order a memo sample. Reach out to <a href="mailto:quotes@paragoninc.com">quotes@paragoninc.com</a> for more info.

Dew



Cocoa

Galena

## Tradewinds CV (HC)



Order Samples: momentumtextilesandwalls.com

Pumice



Tropic

content: 100% Clean Vinyl / Phthalate Free

finish: Protective Overcoat®

**repeat:** 9" H, 8.75" V

durability:200,000 Double Rubsseam strength:46 lbs. Warp / 39 lbs. Weft

flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013, IMO Part 8

cleaning: W S (Bleach Cleanable 10:1)

GREENGUARD Gold Certified®, PVC Free











Paragon Furniture NOW\_fabrics\_May2025 2224 E Randol Mill Rd Arlington, TX 76011

(p) 817.633.3242

https://www.paragoninc.com/

