


The image features a background of various fabric swatches in shades of blue, teal, green, and orange, arranged in a layered, overlapping fashion. A white hexagonal grid pattern is overlaid on the entire image. In the top center, there is a white rectangular box containing the Paragon Furniture logo.

PARAGON™
FURNITURE

NOW

FABRIC OPTIONS



➤ Need Fabric Samples?

After browsing our NOW fabric options, if you find a pattern and color you'd like to see in person, fabric samples can be requested directly from the manufacturer. Please use the contact information provided below to request your sample.

CULP CONTRACT

contract@culp.com

 **DOUGLASS**
FABRICS

samples@dougind.com



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com

Stinson

customerrelations@cfstinson.com

MAYERFABRICS

customerservice@mayerfabrics.com

For any fabric-related questions or assistance with making your selections, please reach out to quotes@paragoninc.com. We're happy to help guide you through the options.



>Index

Fabrics marked with an asterisk (*) are not available for the Oingo Stool. Please refer to the Oingo Stool Fabric Options document for approved selections.

(Total number of available pattern colors in parenthesis)

Grade 2

Pg 3- Dillon (32)
Pg 3- Dorset* (21)
Pg 4- Impulse (27)
Pg 4- Ridgecrest* (12)
Pg 5- Yosemite (11)

Grade 3

Pg 6- Chronicle* (12)
Pg 6- Connelly* (14)
Pg 7- Ego* (9)
Pg 7- Graph* (13)
Pg 8- Hathaway* (19)
Pg 8- Linette* (16)
Pg 9- Origin* (42)
Pg 9- Punch Card* (14)
Pg 10- Scatter* (9)
Pg 10- Utmost* (11)
Pg 11- Viceroy (19)

Grade 4

Pg 12- Apprentice* (11)
Pg 12- Box Chain (17)
Pg 13- Castillo (16)
Pg 13- Cross Check* (20)
Pg 14- Foundation 10* (37)
Pg 14- Golly (22)
Pg 15- Lara (58)
Pg 15- Quattro* (18)
Pg 16- Staple (29)
Pg 16- Vibe (23)

Grade 5

Pg 17- Delano* (23)
Pg 17- Haute* (11)
Pg 18- Lattice (10)
Pg 18- Midway (5)
Pg 19- Moby* (12)
Pg 19- Rumba* (8)

Grade 6

Pg 20- All Seasons* (73)
Pg 20- Cover Cloth* (24)
Pg 21- Criss Cross 2.0* (38)
Pg 21- Edgeline (22)
Pg 22- Endurance EPU (36)
Pg 22- Evo CV* (36)
Pg 23- Fedora* (25)
Pg 23- Honeycomb Shag* (8)
Pg 24- Hopsack (18)
Pg 24- Silververtex NEO (37)
Pg 25- Tango* (10)
Pg 25- Tribeca CV (20)
Pg 26- Vanguard CV (18)

Grade 7

Pg 27- Beaux* (14)
Pg 27- Dexter EPU (13)
Pg 28- Level (9)
Pg 28- Mixology CV* (12)
Pg 29- Mixer EPU (20)
Pg 29- Row (30)
Pg 30- Sentiero (24)
Pg 30- Vector (9)

Grade 8

Pg 31- Caspian* (14)
Pg 31- Curator* (10)
Pg 32- Fidget* (8)
Pg 32- Riverstone (9)
Pg 33- Roadmap* (8)

Grade 9

Pg 34- Arc* (7)
Pg 34- Cycle* (11)
Pg 35- Glimpse* (8)
Pg 35- Scout* (14)
Pg 36- Silica (58)
Pg 36- Upgrade* (8)

Grade 10

Pg 37- Centric* (12)
Pg 37- Haven* (25)
Pg 38- Meteor (9)
Pg 38- Pebble Trail (8)
Pg 39- Tradewinds CV* (8)



Look for this symbol for upholsteries best suited for healthcare applications.




Look for this symbol for upholsteries that are not compatible with the Oingo Stool.

Dillon


Additional Colors / Order Samples: culpcontract.com



Apple Green




Sage



Straw




Fiesta



Lipstick




Ocean




Williamsburg




Quarry




Java




Steel



Lucid



Storm



Black

content: 100% Polyurethane
finish: Antimicrobial - Silver Ion Technology
repeat: Non-Matching
durability: 200,000 Double Rubs
seam strength: 92 lbs. Warp / 77 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Dorset

Additional Colors / Order Samples: culpcontract.com



Avocado




Smoke Blue



Ocean Blue



Copper



Cayenne



Taupe



Platinum



Denim



Charcoal


content: 100% Polyester
finish: i-Clean™ Stain & Moisture Repellent
repeat: Non-Matching
durability: 55,000 Double Rubs
seam strength: 41 lbs. Warp / 38 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W

CULP CONTRACT


contract@culp.com | 336.888.6274

Impulse


Additional Colors / Order Samples: douglassfabric.com



Cobalt




Lipstick




Flora



Sungold




Pewter




Tangerine



Steel



Espresso



Bayside

content: 100% PVC Vinyl, Polyester Backing
finish: Stain Resistant
repeat: None
durability: 100,000 Double Rubs
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013
cleaning: W (Bleach Cleanable 9:1)



douglassfabric.com | 800.950.3684

Ridgecrest



Additional Colors / Order Samples: culpcontract.com



Bittersweet



Midnight



Tide Pool



Meadow



Ruby



Beach



Mink



Sterling



Ink

content: 100% Polyester
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 88 lbs. Warp / 84 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W

CULP CONTRACT

contract@culp.com | 336.888.6274

Yosemite

Additional Colors / Order Samples: culpcontract.com



Chamois



Penny



Chestnut




Oxblood



Earth



Raven



Silt



Balsa



Parchment

- content:** 100% Polyurethane with 70% Polyester,
30% Cotton Backing
- finish:** Antimicrobial
- repeat:** Non-Matching
- durability:** 100,000 Double Rubs
- seam strength:** 61 lbs. Warp / 68 lbs. Weft
- flame retardance:** UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
- cleaning:** W (Bleach Cleanable 5:1)

CULP CONTRACT
contract@culp.com | 336.888.6274

Chronicle



Additional Colors / Order Samples: culpcontract.com



Raspberry



Persimmon



Cypress




Jade




Navy



Goldenrod



Wheat



Granite



Charcoal

content: 100% Polyester
finish: i-Clean™ Stain & Moisture Repellent
repeat: Non-Matching
durability: 95,000 Double Rubs
seam strength: 100 lbs. Warp / 95 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W

CULP CONTRACT

contract@culp.com | 336.888.6274

Connelly



Additional Colors / Order Samples: culpcontract.com




Parrot




Chick




Peacock




Bluebird




Blue Jay




Wren



Dove



Owl



Crow

content: 100% Polyester
repeat: Non-Matching
durability: 95,000 Double Rubs
seam slippage: 45 lbs. Warp / 38 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W

CULP CONTRACT

contract@culp.com | 336.888.6274

Ego



Additional Colors / Order Samples: momentumtextilesandwalls.com



Ginger



Twig



Jade



Spa



Midnight



Foil



Dove



Galena



Onyx

content:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

85% Polyester, 15% Viscose Rayon

Non-Matching

250,000 Double Rubs

67.8 lbs. Warp / 55.3 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

WS

Reduced Environmental Impact;

GREENGUARD Certified®, NSF 336 Compliant



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Graph



Additional Colors / Order Samples: momentumtextilesandwalls.com



Lapis



Ruby



Poppy



Parrot



Cork



Wave



Tidal



Alpine



Coal

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:

75% Repreve Post Consumer Recycled Polyester

25% Polyester

Non-Matching

7.5" l x 3.357" w

170,000 Double Rubs

100.7 lbs. Warp / 89.9 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

WS

Recycled Fiber Content; GREENGUARD Gold Certified®




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Hathaway


Additional Colors / Order Samples: culpcontract.com



Tangerine



Lemon



Fire



Apple



Aqua



Ocean



Electric Blue



Cafe



Fog



Nickel

content: 100% Vinyl
finish: Antimicrobial
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 44 lbs. Warp / 53 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 5:1)

CULP CONTRACT
contract@culp.com | 336.888.6274

Linette


Additional Colors / Order Samples: culpcontract.com



Platinum




Frost



Glaze




Glacier




Moss




Ash




Stone



Toffee




Waterscape




Mustard




Black




Steel



Cola



Denim




Flame

content: 100% Vinyl
finish: i-Clean™ Anti-Microbial
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 67 lbs. Warp / 69 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 5:1)


CULP CONTRACT
contract@culp.com | 336.888.6274

Origin


Additional Colors / Order Samples: momentumtextilesandwalls.com




Alloy




Gaia




Tide




Citron




Iron



Dune



Cyan




Eureka



Jet



Manta



Marina



Poppy

content: 100% Post Consumer Recycled Polyester
repeat: Non-Matching
durability: 282,000 Double Rubs
seam slippage: 88 lbs. Warp / 79 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **WS**

Reduced Environmental Impact; Recycled Fiber Content,
GREENGUARD Gold Certified®, NSF 336 Compliant




MOMENTUM
TEXTILES & WALLCOVERING


customerservice@momtex.com | 800.366.6839

Punch Card

Additional Colors / Order Samples: culpcontract.com



Blue Jay



Citronelle



Red



Berry



Atlantic



Halo



Quartz



Dark Taupe



Shale

content: 61% Polyester, 39% Repreve® Recycled Polyester
repeat: 7.5" H, 11" V
durability: 40,000 Double Rubs
seam slippage: 40 lbs. Warp, 55 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W**


CULP CONTRACT

contract@culp.com | 336.888.6274


Scatter




Order Samples: momentumtextilesandwalls.com



Garnet




Spruce



Baltic



Caspian



Barley



Fossil



Pewter



Flint



Noir

content:

78% Polyester, 22% Post Consumer Recycled Polyester

repeat:

Non-Matching

durability:

90,000 Double Rubs

seam slippage:

57.0 lbs. Warp / 50.8 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

WS

Reduced Environmental Impact; Recycled Fiber Content, GREENGUARD Certified®, NSF 336 Compliant



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Utmost



Order Samples: culpcontract.com



Starfish



Night



Tropical



Clover



Plum



Natural



Fleece



Meteor



Iron

content:

30% Repreve Recycled Polyester, 70% Polyester

repeat:

i-Clean™ Stain & Moisture Repellent

durability:

1" H, 1.25" V

seam slippage:

95,000 Double Rubs

flame retardance:

53 lbs. Warp / 56 lbs. Weft

cleaning:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W

CULP CONTRACT

contract@culp.com | 336.888.6274

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Viceroy



Additional Colors / Order Samples: culpcontract.com



Bravado




Gold



Winter



Mushroom



Charcoal



Bordeaux



Peacock



Ocean



Spruce

- content:** 100% Polyurethane (Polycarbonate)
Polyester Backing
- finish:** Antimicrobial
- repeat:** Non-Matching
- durability:** 200,000 Double Rubs
- seam slippage:** 42 lbs. Warp / 71 lbs. Weft
- flame retardance:** UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
- cleaning:** **W S**

CULP CONTRACT
contract@culp.com | 336.888.6274

Apprentice



Additional Colors / Order Samples: cfstinson.com



Mystic



Eucalyptus



Heron




Sisal



Ember



Classic



Phantom



Surfer



Raven

content: 100% Polypropylene
finish: None
repeat: Non-Matching
durability: 90,000 Double Rubs
seam strength: 66.0 lbs. Warp / 74.0 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **WS** (Bleach Cleanable 19:1)
GREENGUARD Gold Certified®

Stinson


customerrelations@cfstinson.com | 800.841.6279

Box Chain


Additional Colors / Order Samples: cfstinson.com



Amalfi



Evergreen




Pomelo



Stucco




Rose



Frost



Antelope



Stardust



Beluga

content: Vinyl Surface with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 19:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Castillo

Additional Colors / Order Samples: culpcontract.com



Red



Clementine



Honeydew



Breezy



Batik



Buttercream



Buff



Metal



Steel

content:

100% Polyurethane with 87% Polyester
13% Cotton Backing

finish:

i-Clean™ Stain & Moisture Repellent

repeat:

Non-Matching

durability:

200,000 Double Rubs

seam slippage:

31 lbs. Warp / 58 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:


W (Bleach Cleanable 5:1)

CULP CONTRACT


contract@culp.com | 336.888.6274

Cross Check


Additional Colors / Order Samples: mayerfabrics.com




Paradise




Sunshine



Red Baron



Lime




Peacock



Marine



Taupe



Dove



Platinum

content:

100% Polyester

finish:

Stain Repellent

repeat:

Non-Matching

durability:

258,000 Double Rubs

seam slippage:

55 lbs. Warp / 59 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

S

GREENGUARD Certified®


MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Foundation 10



Additional Colors / Order Samples: mayerfabrics.com




content: 65% Pre Consumer Recycled Polyester
35% Post Consumer Recycled Polyester
finish: Stain Repellent
repeat: Non-Matching
durability: 1,000,000 Double Rubs
seam slippage: 55 lbs. Warp / 52 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **WS**
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Golly

Additional Colors / Order Samples: culpcontract.com



content: 100% Polyurethane (Polycarbonate)
Polyester Backing
repeat: Non-Matching
durability: 195,000 Double Rubs
seam slippage: 70 lbs. Warp / 44 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **WS** (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Lara Additional Colors / Order Samples: cfstinson.com



content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil and Stain Resistant Top Coat
Non-Matching / Directional
Exceeds 1,300,000 Double Rubs
35 lbs. Warp / 30 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Quattro Additional Colors / Order Samples: mayerfabrics.com



content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% Polyester
Stain Repellent
Non-Matching
237,000 Double Rubs
65 lbs. Warp / 91 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
S
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Staple

Additional Colors / Order Samples: cfstinson.com



Paprika




Camel



Mist



Twilight




Voyage




Malt



Smith



Academy



Nautical

content:

100% Polyurethane (polycarbonate & polyester resins, polyester, cotton backing)

finish:

Enhanced Soil and Stain Resistance

durability:

200,000 Double Rubs

seam strength:

61 lbs. Warp / 81 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

WS (Bleach Cleanable 4:1)


Reduced Environmental Impact

Stinson


customerrelations@cfstinson.com | 800.841.6279

Vibe

Additional Colors / Order Samples: douglassfabric.com



Ballpoint



Cityscape




Grasshopper



Clementine



Grapevine




Indian Summer



Kernel



Mermaid



Cocoa

content:

100% Phthalate Free PVC Vinyl

finish:

Resilience^{SR}

repeat:

None

durability:

250,000 Double Rubs

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013

cleaning:

W (Bleach Cleaning 9:1)


DOUGLASS
FABRICS

douglassfabric.com | 800.950.3684

Delano




Additional Colors / Order Samples: mayerfabrics.com



Wildberry



Aegean



Topaz




Almond




Silver




Maritime



Bittersweet



Burnish



Pewter



Hyacinth



Cherry



Mink



Iron

content:
finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% Polyester
Stain Repellent, PFAS-Free
Non-Matching
100,000 Double Rubs
77.4 lbs. Warp / 71.4 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
S

Reduced Environmental Impact; GREENGUARD Gold Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Haute



Order Samples: culpcontract.com



Sanderling



Foggy



Kelp



Autumn



Weathered




Toadstool



Caviar



Char



Night Light

content:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

100% Polyester
Non-Matching
95,000 Double Rubs
60 lbs. Warp / 71 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W

CULP CONTRACT

contract@culp.com | 336.888.6274

Lattice


Order Samples: cfstinson.com



Fresco



Rosewood



Bayou



Sage



Buckwheat




Goldfinch



Clay



Skipper



Grove



Metro

content:

finish:

repeat

durability:

seam strength:

flame retardance:

cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing

Advanced Soil and Stain Resistant Top Coat

18" H x 18" V, Non-Matching / Directional

Exceeds 1,300,000 Double Rubs

35 lbs. Warp / 30 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1)


GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Midway


Additional Colors / Order Samples: mayerfabrics.com



Sand



Sunshine



Haze




Spa




Wheat



Persimmon



Indigo



Algae



Storm

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

80% Phthalate-Free Vinyl Facing,

20% Polyester Backing

Soil & Stain Resistant Top Coat

with Ink-Resistance

18" H, 18" V

1,300,000 Double Rubs

35 lbs. Warp / 30 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W CFC (Bleach Cleanable 4:1)

GREENGUARD Certified®


MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Moby



Additional Colors / Order Samples: cfstinson.com



Lichen



Poppy



Cardinal




Surf




Stream




Cloud



Gull



Vesper



Black

content: 100% Polyester
finish: Non-PFOA Stain Resistant
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 87.2 lbs. Warp / 68.5 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W**
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Rumba




Additional Colors / Order Samples: mayerfabrics.com



Cinnabar




Butterscotch



Lime




Spa



Cobalt




Bisque



Abalone



Fossil



Char

content: 100% Polyester
finish: PFAS-Free Stain Repellent
repeat: 3.7" H, 6.625" V
durability: 55,000 Double Rubs
seam slippage: 87.0 lbs. Warp / 44.0 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **S**


MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

All Seasons



Additional Colors / Order Samples: mayerfabrics.com



Blue Nile




Jade



Marigold



Very Berry



New Purple



Nasturtium



Marina



Leapfrog



Tomato



Chocolate



Gris



Black



Magenta

content:

88% Vinyl - Phthalate Free

finish:

12% Polyester Backing
Soil & Stain Resistant Top Coat with
Ink Resistant Technology

repeat:

Non-Matching

durability:

Exceeds 1,300,000 Double Rubs

seam strength:

60 lbs. Warp / 30 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

WS CFC (Bleach Cleanable 9:1)

Reduced Environmental Impact; GREENGUARD Gold Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415


Cover Cloth



Additional Colors / Order Samples: momentumtextilesandwalls.com



Fuchsia



Cyan



Antique




Oat



Platinum



Indigo




Navel



Taupe



Vesper



Bouquet



Flame



Coffee



Graphite

content:

56% Repreve Post Consumer Recycled Polyester
44% Polyester

finish:

Crypton Green®

repeat:

Non-Matching

durability:

200,000 Double Rubs

seam slippage:

71 lbs. Warp / 49 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W (Bleach Cleanable 9:1)

Recycled Fiber Content; GREENGUARD Gold Certified®



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Criss Cross 2.0



Additional Colors / Order Samples: cfstinson.com



Graystone




Stucco



Desert



Orange



Brick



Navy



Leaf



Mineral



Abyss

content:

finish:

repeat

durability:

seam strength:

flame retardance:

cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing

Advanced Soil and Stain Resistant Top Coat

Non-Matching / Directional

Exceeds 500,000 Double Rubs

60 lbs. Warp / 40 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

WS (Bleach Cleanable 9:1)


GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Edgeline

Additional Colors / Order Samples: douglassfabric.com



Mustard



Clover



Autumn



Royal




Crimson




Storm



Pewter



Espresso



Olive

content:

finish:

repeat:

durability:

flame retardance:

cleaning:

100% PVC Vinyl, Nylon Backing

Stain Resistant

3.7" H, 6.625" V

100,000 Double Rubs

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1


W

DOUGLASS
FABRICS

douglassfabric.com | 800.950.3684

Endurance EPU

Additional Colors / Order Samples: momentumtextilesandwalls.com



content:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% EPU Polyurethane
Non-Matching
1,000,000 Double Rubs
100 lbs. Warp / 95.4 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
W (Bleach Cleanable 4:1)
Reduced Environmental Impact; GREENGUARD Certified®,
PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Evo CV



Additional Colors / Order Samples: momentumtextilesandwalls.com



content:
finish:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% Clean Vinyl / Phthalate Free
Protective Overcoat®
Non-Matching
1,000,000 Double Rubs
80.1 lbs. Warp / 68 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
WS (Bleach Cleanable 10:1)
GREENGUARD Certified®




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Fedora

Additional Colors / Order Samples: mayerfabrics.com



Winter



Topaz



Tangelo




Tomato



Persimmon



Opal



Aegean



Indigo



Cactus



Light Grey



Fawn



Pewter



Charcoal

content: 100% Polyester
finish: Non-PFOA Stain Repellent
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 106.1 lbs. Warp / 109.3 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W
GREENGUARD Certified®

MAYERFABRICS


customerservice@mayerfabrics.com | 800.428.4415

Honeycomb Shag


Additional Colors / Order Samples: cfstinson.com



Iconic



Sunstone



Papaya




Salsa




Teal



Champion



Tint




Shale

content: 63% Polyester, 37% Olefin
finish: Non-PFOA Stain Resistant
repeat: 14.5" H, 15.75" V
durability: 81,000 Double Rubs
seam slippage: 96 lbs. Warp / 71 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: WS (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Hopsack Additional Colors / Order Samples: cfstinson.com




content: 100% Vinyl Face with 100% Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Silvertex NEO Additional Colors / Order Samples: douglassfabric.com



content: 100% Vinyl, Urethane Topcoat
finish: Silverguard® PermaBlok®
repeat: None
durability: 100,000 Double Rubs
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 9:1)

DOUGLASS
FABRICS

douglassfabric.com | 800.950.3684

Tango



Additional Colors / Order Samples: mayerfabrics.com



Harbor



Coral



Sangria



Limeade



Surfside



Sunrise



Raspberry



Flint



Skyline


content: 100% Polyester
finish: PFOA & PFOS-Free Stain Repellent
repeat: 4.8" l x 4.8" w
durability: 80,000 Double Rubs
seam slippage: 96 lbs. Warp / 84 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: S
GREENGUARD Gold Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Tribeca CV

Additional Colors / Order Samples: momentumtextilesandwalls.com




Cloud



Cane



Rubine



Lichen



Airy



Mariner



Plume

content: 100% Clean Vinyl / Phthalate Free
finish: Protective Overcoat®
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 42 lbs. Warp / 46 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W (Bleach Cleanable 10:1)
GREENGUARD Certified® PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Vanguard CV Additional Colors / Order Samples: momentumtextilesandwalls.com




content: 100% Clean Vinyl / Phthalate Free
finish: Protective Overcoat®
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 42 lbs. Warp / 46 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W (Bleach Cleanable 10:1)
GREENGUARD Certified®, PVC Free

 **MOMENTUM**
TEXTILES & WALLCOVERING
customerservice@momtex.com | 800.366.6839


Beaux




Additional Colors / Order Samples: mayerfabrics.com




Quarry




Sandstone



Taupe




Ablaze



Rogue



Navy



Palm



Masonry



Peppercorn

content: 100% Post Consumer Recycled Polyester
finish: PFAS-Free Stain Repellent
repeat: .188" H x 1.813" V
durability: 100,000 Double Rubs
seam strength: 29 lbs. Warp / 73 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W S BC (Bleach Cleanable 9:1)

MAYERFABRICS


customerservice@mayerfabrics.com | 800.428.4415

Dexter EPU

Additional Colors / Order Samples: momentumtextilesandwalls.com



Haute




Truffle



Fresco




Tango



Fig



Splash



Baltic



Pumice



Flint

content: 100% EPU Polyurethane
repeat: 9.5" H, 20" V
durability: 285,000 Double Rubs
seam slippage: 61.8 lbs. Warp / 57.5 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W (Bleach Cleanable 4:1)
GREENGUARD Certified®




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Level


Additional Colors / Order Samples: cfstinson.com




Mojito




Bavaria




Slate




Earth




Aegean



Lapis



Tea



Shadow

content: Vinyl Surface with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat
repeat: 4.625" H, 8.625" V
durability: 1,300,000 Double Rubs
seam slippage: 35 lbs. Warp / 30 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Mixology CV




Additional Colors / Order Samples: momentumtextilesandwalls.com



Fresco




Tea Leaf



Bamboo



Cascade




Bluet



Chalice



Grotto



Chambray



Nightlife

content: 100% Clean Vinyl / Phthalate Free
finish: Protective Overcoat®
repeat: 27" H, 0.125" V
durability: 250,000 Double Rubs
seam slippage: 100.6 lbs. Warp / 101.9 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: WS (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®




MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Mixer EPU

Additional Colors / Order Samples: momentumtextilesandwalls.com




content: 100% EPU Polyurethane
repeat: Non-Matching
durability: 130,000 Double Rubs
seam slippage: 64.5 lbs. Warp / 57.6 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013
cleaning: **WS** (Bleach Cleanable 4:1)
GREENGUARD Certified®

 **MOMENTUM**
 TEXTILES & WALLCOVERING
customerservice@momtex.com | 800.366.6839

Row

Additional Colors / Order Samples: momentumtextilesandwalls.com




content: 100% Polyurethane / PVC Free
repeat: Non-Matching
durability: 500,000 Double Rubs
seam slippage: 110 lbs. Warp / 84 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 4:1)
GREENGUARD Certified® PVC Free

 **MOMENTUM**
 TEXTILES & WALLCOVERING
customerservice@momtex.com | 800.366.6839

Sentiero

Additional Colors / Order Samples: cfstinson.com




content: Non-Phthalate Vinyl Surface, Recycled Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat
repeat Directional / Non-Matching
durability: 100,000 Double Rubs
seam slippage: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013
cleaning: **WS** (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Vector

Additional Colors / Order Samples: cfstinson.com



content: Phthalate-Free Vinyl Face with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat + Ink Resistance
repeat 11.25" H, 11.875" V
durability: 100,000 Double Rubs
seam slippage: 46 lbs. Warp / 35 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **WS BC** (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Caspian



Additional Colors / Order Samples: mayerfabrics.com



Jungle




Spring



Tangelo



Sunset



Marine




Almond



Mineral



Mushroom



Cinder

content: 76% Polyester / 24% SEAQUAL® (Post-Consumer Recycled Polyester)
finish: PFAS-Free Stain Repellent
repeat: 0.125" H x 2.5" V
durability: 100,000 Double Rubs
seam slippage: 89 lbs. Warp / 125 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W S BC** (Bleach Cleanable 9:1)


MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Curator



Additional Colors / Order Samples: mayerfabrics.com



Ink



Mulberry



Umber



Juniper




Metal



Onyx



Spearmint



Ruby

content: 100% Polyester
finish: Crypton® with Antimicrobial Silver Ion Technology
repeat: Directional / Non-Matching
durability: 100,000 Double Rubs
seam slippage: 108 lbs. Warp / 150.1 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013
cleaning: **C W BC** (Bleach Cleanable 10:1)

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Fidget



Order Samples: cfstinson.com



Infrared



Moonbeam




Zeal




Seaport



Garnet



Voyager



Adventure



Valley

content: 70% Polyester, 30% Nylon with Acrylic Backing
finish: Non-Fluorine Stain Resistant
repeat: 14.125" H, 14.25" V
durability: 100,000 Double Rubs
seam slippage: 47.1 lbs. Warp / 73.3 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 4:1)
GREENGUARD Gold Certified®

Stinson


customerrelations@cfstinson.com | 800.841.6279

Riverstone

Additional Colors / Order Samples: cfstinson.com




Bridge



Mineral



Stream




Water



Beryl



Bayou



Slate

content: Phthalate-Free Vinyl Face with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat + Ink Resistance
repeat: 16.875" H, 8" V (Non-Matching Directional)
durability: 1,300,000 Double Rubs
seam slippage: 35 lbs. Warp / 30 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279


Roadmap




Order Samples: cfstinson.com



Wave




Haze



Smart




Mambo



Sketch



Gotham



Tropic



Kiss

content: 80% Post-Consumer Recycled Polyester, 20% Polyester
finish: Non-Fluorine Stain Resistant
repeat
durability: 13.75" H, 18.25" V
seam slippage: 75,000 Double Rubs
flame retardance: 98.2 lbs. Warp / 94.4 lbs. Weft
cleaning: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
WS (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®


Stinson

customerrelations@cfstinson.com | 800.841.6279


Arc



Additional Colors / Order Samples: mayerfabrics.com




Turquoise




Sapphire



Topaz



Emerald




Granite



Steel



Limestone



Fig

content: 100% Post Consumer Recycled Polyester
finish: PFAS-Free Stain Repellent
repeat: 7.25" H x 11.75" V
durability: 60,000 Double Rubs
seam slippage: 87 lbs. Warp / 96 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: WS BC (Bleach Cleanable 9:1)

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Cycle



Additional Colors / Order Samples: cfstinson.com




Twirl




Curl




Wheel




Spiral




Bangle




Track



Rotate



Loop



Spin

content: 100% Polyester
finish: Advanced Soil and Stain Resistant Top Coat
repeat: 14" H, 16.375" V
durability: 100,000 Double Rubs
seam slippage: 52.1 lbs. Warp / 58.7 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279


Glimpse



Order Samples: cfstinson.com



Zen




Splash



Vivid



Legend




Apple



Sonic



Cordial



Pier

content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

65% Polyester, 32% Cotton
Non-Fluorine Stain Resistant
14" H, 23.125" V
100,000 Double Rubs
134 lbs. Warp / 103 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
S
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Scout



Additional Colors / Order Samples: mayerfabrics.com



Flax



Steel



Brass



Sky




Shamrock




Earth



Campfire



Anchor



Everglade

content:
finish:
repeat:
durability:
seam slippage:
flame retardance:
cleaning:

91% Polyester, 7% Polyurethane, 2% Silicone
Supreen (Silicone)
0.275" H x 0.275" V
100,000 Double Rubs
88.5 lbs. Warp / 89.5 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W S BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Silica

Additional Colors / Order Samples: momentumtextilesandwalls.com



Sands




Tropic



Appletini




Lemon



Shale



Regatta



Dewpoint



Marigold



Breakwater



Bright Night



Surf



Dare



Gallant

content:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

100% Silicone
Non-Matching
365,000 Double Rubs
71 lbs. Warp / 79 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
WS (Bleach Cleanable 4:1)
GREENGUARD Gold Certified® PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Upgrade

Order Samples: cfstinson.com




Max



Melon




Citrus



Rocket



Brightside



Multi



Perk



Luxe

content:
repeat:
durability:
seam strength:
flame retardance:
cleaning:

55% Polyester, 29% Nylon, 6% Post-Consumer
Recycled Polyester
14" H, 13.5" V
100,000 Double Rubs
71.4 lbs. Warp / 108.7 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
WS (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®


Stinson

customerrelations@cfstinson.com | 800.841.6279


Centric



Additional Colors / Order Samples: mayerfabrics.com




Grotto




Meadow



Cinnamon




Denim




Mocha




Ink



Ruby



Dew



Shale

content:

81% Polyester/19% Post-Consumer
Recycled Polyester
Crypton® with Antimicrobial Silver
Ion Technology

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

2.5" H x 1.375" V

102,000 Double Rubs

84 lbs. Warp / 90 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

C W B C (Bleach Cleanable 9:1)

GREENGUARD Certified®


MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Haven



Additional Colors / Order Samples: mayerfabrics.com




Ruby



Butterscotch



Peridot



Iceberg



Gravel



Apricot



Ocean



Grey



Iron

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

92% Polyester, 6% Polyurethane, 2% Silicone

Supreen (Silicone) PFC/PFOA-Free

Non-Matching, Directional

100,000 Double Rubs

87.5 lbs. Warp / 99.5 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1


W S B C (Bleach Cleanable 9:1)

GREENGUARD Gold Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

Meteor Additional Colors / Order Samples: cfstinson.com



Cobalt



March




Terra



Cliff




Moonstone



Vessel



Rain



Nomad



Pastoral

content:
finish:
repeat
durability:
seam slippage:
flame retardance:
cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil & Stain Resistant Top Coat
13.125" H, 11.875" V
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279


Pebble Trail Order Samples: cfstinson.com



Celadon




Beach




Calm



Driftwood



Delta



Tranquil



Aquifer



Huron

content:
finish:

repeat
durability:
seam slippage:
flame retardance:
cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil & Stain Resistant Top Coat + Ink & Denim Resistance
13.5" H, 9" V, Directional
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279


Tradewinds CV



Order Samples: momentumtextilesandwalls.com



Morel



Cane




Pumice



Cocoa



Tropic



Dew



Serene



Galena

content: 100% Clean Vinyl / Phthalate Free
finish: Protective Overcoat®
repeat: 9" H, 8.75" V
durability: 200,000 Double Rubs
seam strength: 46 lbs. Warp / 39 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013, IMO Part 8
cleaning: **WS** (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®, PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

