

The image features a background of various fabric swatches in shades of green, blue, and orange, arranged in a layered, overlapping fashion. A white hexagonal grid pattern is overlaid on the entire image. In the top center, there is a white rectangular box containing the Paragon Furniture logo.

PARAGON™
FURNITURE

OINGO STOOL
NOW
FABRIC OPTIONS



➤ Need Fabric Samples?

After browsing our NOW fabric options, if you find a pattern and color you'd like to see in person, fabric samples can be requested directly from the manufacturer. Please use the contact information provided below to request your sample.

CULP CONTRACT

contract@culp.com

 **DOUGLASS**
FABRICS

samples@dougind.com



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com

Stinson

customerrelations@cfstinson.com

MAYERFABRICS

customerservice@mayerfabrics.com

For any fabric-related questions or assistance with making your selections, please reach out to quotes@paragoninc.com. We're happy to help guide you through the options.





>Index

The fabric options listed below are specific to the Oingo Stool. For a comprehensive selection of available fabrics, please refer to the NOW Fabric Options document.

(Total number of available pattern colors in parenthesis)

Grade 2

Pg 3- Dillon (32)
Pg 3- Impulse (27)
Pg 4- Yosemite (11)

Grade 3

Pg 4- Viceroy (19)

Grade 4

Pg 5- Box Chain (17)
Pg 5- Castillo (16)
Pg 6- Golly (22)
Pg 6- Lara (58)
Pg 7- Staple (29)
Pg 7- Vibe (23)

Grade 5

Pg 8- Lattice (10)
Pg 8- Midway (5)

Grade 6

Pg 9- Edgeline (22)
Pg 9- Endurance EPU (36)
Pg 10- Hopsack (18)
Pg 10- Silvertex NEO (37)
Pg 11- Tribeca CV (20)
Pg 11- Vanguard CV (18)

Grade 7

Pg 12- Dexter EPU (13)
Pg 12- Level (9)
Pg 13- Mixer EPU (20)
Pg 13- Row (30)
Pg 14- Sentiero (24)
Pg 14- Vector (9)

Grade 8

Pg 15- Riverstone (9)

Grade 9

Pg 15- Silica (58)

Grade 10

Pg 16- Meteor (9)
Pg 16- Pebble Trail (8)



Look for this symbol
for upholsteries best
suited for healthcare
applications.




Dillon


Additional Colors / Order Samples: culpcontract.com



Apple Green




Sage



Straw



Fiesta



Lipstick



Ocean




Williamsburg




Quarry




Java




Steel



Lucid



Storm



Black

content: 100% Polyurethane
finish: Antimicrobial - Silver Ion Technology
repeat: Non-Matching
durability: 200,000 Double Rubs
seam strength: 92 lbs. Warp / 77 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Impulse

Additional Colors / Order Samples: douglassfabric.com



Cobalt



Lipstick




Flora



Sungold



Pewter



Tangerine



Steel



Espresso



Bayside

content: 100% PVC Vinyl, Polyester Backing
finish: Stain Resistant
repeat: None
durability: 100,000 Double Rubs
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013
cleaning: W (Bleach Cleanable 9:1)

 **DOUGLASS**
 FABRICS

douglassfabric.com | 800.950.3684

PARAGON
 FURNITURE

Yosemite

Additional Colors / Order Samples: culpcontract.com



Chamois



Penny



Chestnut




Oxblood




Earth




Raven



Silt



Balsa



Parchment

content: 100% Polyurethane with 70% Polyester,
30% Cotton Backing
finish: Antimicrobial
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 61 lbs. Warp / 68 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Viceroy

Additional Colors / Order Samples: culpcontract.com

Grade 3



Bravado




Gold



Winter



Mushroom



Charcoal



Bordeaux



Peacock



Ocean



Spruce

content: 100% Polyurethane (Polycarbonate)
Polyester Backing
finish: Antimicrobial
repeat: Non-Matching
durability: 200,000 Double Rubs
seam slippage: 42 lbs. Warp / 71 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W S

CULP CONTRACT

contract@culp.com | 336.888.6274

Box Chain

Additional Colors / Order Samples: cfstinson.com



Amalfi



Evergreen



Pomelo



Stucco



Rose



Frost



Antelope



Stardust



Beluga

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

Vinyl Surface with Polyester Backing
Advanced Soil and Stain Resistant Top Coat
Non-Matching
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 19:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Castillo

Additional Colors / Order Samples: culcontract.com



Red



Clementine




Honeydew




Breezy



Batik



Buttercream



Buff



Metal



Steel

content:

finish:

repeat:

durability:

seam slippage:

flame retardance:

cleaning:


100% Polyurethane with 87% Polyester
13% Cotton Backing
i-Clean™ Stain & Moisture Repellent
Non-Matching
200,000 Double Rubs
31 lbs. Warp / 58 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Golly

Additional Colors / Order Samples: culpcontract.com



Bisque




Brass



Armagnac



Red



Paprika



Tidepool



Turquoise




Waterloo



Rosemary



Silver



Porcini



Neutral



Urbane


content: 100% Polyurethane (Polycarbonate)
 Polyester Backing
repeat: Non-Matching
durability: 195,000 Double Rubs
seam slippage: 70 lbs. Warp / 44 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W S** (Bleach Cleanable 5:1)

CULP CONTRACT

contract@culp.com | 336.888.6274

Lara

Additional Colors / Order Samples: cfstinson.com



Cashew



Marigold



Miso



Marmalade



Port



Tranquil



Patriot



Wizard



Sherwood



Gate



Mink



Kitten



Pitch

content: Non-Phthalate Vinyl Surface with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat
repeat: Non-Matching / Directional
durability: Exceeds 1,300,000 Double Rubs
seam slippage: 35 lbs. Warp / 30 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Staple

Additional Colors / Order Samples: cfstinson.com




Paprika




Camel



Mist



Twilight




Voyage




Malt



Smith



Academy



Nautical

content:

100% Polyurethane (polycarbonate & polyester resins, polyester, cotton backing)

finish:

Enhanced Soil and Stain Resistance

durability:

200,000 Double Rubs

seam strength:

61 lbs. Warp / 81 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

WS (Bleach Cleanable 4:1)


Reduced Environmental Impact

Stinson

customerrelations@cfstinson.com | 800.841.6279

Vibe

Additional Colors / Order Samples: douglassfabric.com




Ballpoint



Cityscape




Grasshopper



Clementine



Grapevine




Indian Summer



Kernel



Mermaid



Cocoa

content:

100% Phthalate Free PVC Vinyl

finish:

Resilience^{SR}

repeat:

None

durability:

250,000 Double Rubs

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013

cleaning:

W (Bleach Cleaning 9:1)

 **DOUGLASS**
FABRICS

douglassfabric.com | 800.950.3684

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 5

Lattice




Order Samples: cfstinson.com



Fresco



Rosewood



Bayou



Sage




Buckwheat




Goldfinch



Clay



Skipper



Grove



Metro

content:

finish:

repeat

durability:

seam strength:

flame retardance:

cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing

Advanced Soil and Stain Resistant Top Coat

18" H x 18" V, Non-Matching / Directional

Exceeds 1,300,000 Double Rubs

35 lbs. Warp / 30 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1)

GREENGUARD Certified®


Stinson

customerrelations@cfstinson.com | 800.841.6279

Midway



Additional Colors / Order Samples: mayerfabrics.com



Sand



Sunshine



Haze




Spa




Wheat



Persimmon



Indigo



Algae



Storm

content:

finish:

repeat:

durability:

seam strength:

flame retardance:

cleaning:

80% Phthalate-Free Vinyl Facing,

20% Polyester Backing

Soil & Stain Resistant Top Coat
with Ink-Resistance

18" H, 18" V

1,300,000 Double Rubs

35 lbs. Warp / 30 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W CFC (Bleach Cleanable 4:1)

GREENGUARD Certified®

MAYERFABRICS

customerservice@mayerfabrics.com | 800.428.4415

PARAGON
FURNITURE

Edgeline

Additional Colors / Order Samples: douglassfabric.com



Mustard



Clover



Autumn



Royal



Crimson



Storm



Pewter



Espresso



Olive

content: 100% PVC Vinyl, Nylon Backing
finish: Stain Resistant
repeat: 3.7" H, 6.625" V
durability: 100,000 Double Rubs
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W

 **DOUGLASS**
FABRICS

douglassfabric.com | 800.950.3684

Endurance EPU

Additional Colors / Order Samples: momentumtextilesandwalls.com



Copper



Claret



Sprout



Smith



Plum



Cascade



Neptune



Azure



Lapis



Ink



Taupe



Gull



Armor



Jetty



Nordic

content: 100% EPU Polyurethane
repeat: Non-Matching
durability: 1,000,000 Double Rubs
seam strength: 100 lbs. Warp / 95.4 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W (Bleach Cleanable 4:1)

Reduced Environmental Impact; GREENGUARD Certified®,
PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 6

Hopsack


Additional Colors / Order Samples: cfstinson.com



Bamboo



Bahama



Cori



Fjord



Willow




Alloy



Carbon



Koi



Cinnabar

content:

finish:

repeat

durability:

seam slippage:

flame retardance:

cleaning:

100% Vinyl Face with 100% Polyester Backing

Advanced Soil and Stain Resistant Top Coat

Non-Matching

100,000 Double Rubs

46 lbs. Warp / 35 lbs. Weft

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1)


GREENGUARD Certified®

Stinson


customerrelations@cfstinson.com | 800.841.6279

Silvertex NEO

Additional Colors / Order Samples: douglassfabric.com



Lagoon



Bazaar




Acid




Sapphire



Imperial




Poppy



Sterling



Chestnut



Celery

content:

finish:

repeat:

durability:

flame retardance:

cleaning:

100% Vinyl, Urethane Topcoat

Silverguard® PermaBlok®

None

100,000 Double Rubs

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

W (Bleach Cleanable 9:1)

DOUGLASS FABRICS


douglassfabric.com | 800.950.3684

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 6

Tribeca CV

Additional Colors / Order Samples: momentumtextilesandwalls.com



Cloud



Cane



Rubine




Lichen



Airy



Mariner



Plume

content: 100% Clean Vinyl / Phthalate Free
finish: Protective Overcoat®
repeat: Non-Matching
durability: 100,000 Double Rubs
seam strength: 42 lbs. Warp / 46 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W (Bleach Cleanable 10:1)
 GREENGUARD Certified® PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

Vanguard CV

Additional Colors / Order Samples: momentumtextilesandwalls.com



French



Cream



Autumn



Sprout



Calico



Polarix



Spruce

content: 100% Clean Vinyl / Phthalate Free
finish: Protective Overcoat®
repeat: Non-Matching
durability: 100,000 Double Rubs
seam slippage: 42 lbs. Warp / 46 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W (Bleach Cleanable 10:1)
 GREENGUARD Certified®, PVC Free



MOMENTUM
TEXTILES & WALLCOVERING

customerservice@momtex.com | 800.366.6839

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 7

Dexter EPU

Additional Colors / Order Samples: momentumtextilesandwalls.com

Haute



Truffle



Fresco




Tango



Fig




Splash



Baltic



Pumice



Flint

content:

100% EPU Polyurethane

repeat:

9.5" H, 20" V

durability:

285,000 Double Rubs

seam slippage:

61.8 lbs. Warp / 57.5 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8

cleaning:


W (Bleach Cleanable 4:1)

GREENGUARD Certified®



MOMENTUM
TEXTILES & WALLCOVERING


customerservice@momtex.com | 800.366.6839

Level Additional Colors / Order Samples: cfstinson.com


Mojito




Bavaria




Slate



Earth




Aegean



Lapis



Tea



Shadow

content:

Vinyl Surface with Polyester Backing

finish:

Advanced Soil and Stain Resistant Top Coat

repeat:

4.625" H, 8.625" V

durability:

1,300,000 Double Rubs

seam slippage:

35 lbs. Warp / 30 lbs. Weft

flame retardance:

UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1

cleaning:

W (Bleach Cleanable 9:1)

GREENGUARD Certified®

Stinson


customerrelations@cfstinson.com | 800.841.6279

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 7

Mixer EPU

Additional Colors / Order Samples: momentumtextilesandwalls.com



Sunset



Golden Hour



Vermillion



Clover




Cove



Sugar



Pewter



Tidal



Basalt

content: 100% EPU Polyurethane
repeat: Non-Matching
durability: 130,000 Double Rubs
seam slippage: 64.5 lbs. Warp / 57.6 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013
cleaning: **WS** (Bleach Cleanable 4:1)
GREENGUARD Certified®



MOMENTUM
TEXTILES & WALLCOVERING


customerservice@momtex.com | 800.366.6839

Row


Additional Colors / Order Samples: momentumtextilesandwalls.com



Wheat



Shale



Marigold



Waltz




Sage



Coffee



Auburn



Fjord



Willow

content: 100% Polyurethane / PVC Free
repeat: Non-Matching
durability: 500,000 Double Rubs
seam slippage: 110 lbs. Warp / 84 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: **W** (Bleach Cleanable 4:1)
GREENGUARD Certified® PVC Free



MOMENTUM
TEXTILES & WALLCOVERING


customerservice@momtex.com | 800.366.6839

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 7

Sentiero

Additional Colors / Order Samples: cfstinson.com



content:
finish:
repeat
durability:
seam slippage:
flame retardance:
cleaning:


Non-Phthalate Vinyl Surface, Recycled Polyester Backing
Advanced Soil and Stain Resistant Top Coat
Directional / Non-Matching
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013
W S (Bleach Cleanable 10:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Vector

Additional Colors / Order Samples: cfstinson.com



content:
finish:

repeat
durability:
seam slippage:
flame retardance:
cleaning:

Phthalate-Free Vinyl Face with Polyester Backing
Advanced Soil and Stain Resistant Top Coat + Ink Resistance
11.25" H, 11.875" V
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W S BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279


PARAGON
FURNITURE

Riverstone


Additional Colors / Order Samples: cfstinson.com




Bridge



Mineral



Stream




Water



Beryl



Bayou



Slate

content: Phthalate-Free Vinyl Face with Polyester Backing
finish: Advanced Soil and Stain Resistant Top Coat + Ink Resistance
repeat: 16.875" H, 8" V (Non-Matching Directional)
durability: 1,300,000 Double Rubs
seam slippage: 35 lbs. Warp / 30 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
cleaning: W (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

customerrelations@cfstinson.com | 800.841.6279

Stinson

Silica

Additional Colors / Order Samples: momentumtextilesandwalls.com

Grade 9



Sands




Tropic




Appletini




Lemon



Shale



Regatta



Dewpoint



Marigold



Breakwater




Bright Night



Surf



Dare



Gallant

content: 100% Silicone
repeat: Non-Matching
durability: 365,000 Double Rubs
seam strength: 71 lbs. Warp / 79 lbs. Weft
flame retardance: UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1, IMO Part 8
cleaning: W S (Bleach Cleanable 4:1)
GREENGUARD Gold Certified® PVC Free

customerservice@momtex.com | 800.366.6839



MOMENTUM
TEXTILES & WALLCOVERING


PARAGON
FURNITURE

To ensure color accuracy, please order a memo sample.
Reach out to quotes@paragoninc.com for more info.

Grade 10

Meteor


Additional Colors / Order Samples: cfstinson.com



Cobalt



March



Terra




Cliff




Moonstone



Vessel



Rain



Nomad



Pastoral

content:

finish:

repeat

durability:

seam slippage:

flame retardance:

cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil & Stain Resistant Top Coat
13.125" H, 11.875" V
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W BC (Bleach Cleanable 9:1)
GREENGUARD Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279

Pebble Trail

Order Samples: cfstinson.com



Celadon




Beach




Calm



Driftwood




Delta



Tranquil



Aquifer



Huron

content:

finish:

repeat

durability:

seam slippage:

flame retardance:

cleaning:

Non-Phthalate Vinyl Surface with Polyester Backing
Advanced Soil & Stain Resistant Top Coat + Ink & Denim
Resistance
13.5" H, 9" V, Directional
100,000 Double Rubs
46 lbs. Warp / 35 lbs. Weft
UFAC / NFPA 260 Class 1, CAL 117-2013 Section 1
W (Bleach Cleanable 9:1)
GREENGUARD Gold Certified®

Stinson

customerrelations@cfstinson.com | 800.841.6279



Paragon Furniture
Oingo Stool_NOW_fabrics_May2025

2224 E Randol Mill Rd
Arlington, TX 76011

(p) 817.633.3242

<https://www.paragoninc.com/>

PARAGON[™]
FURNITURE